

---

2005

## **Child marriage briefing: Ethiopia**

Population Council

Follow this and additional works at: [https://knowledgecommons.popcouncil.org/departments\\_sbsr-pgy](https://knowledgecommons.popcouncil.org/departments_sbsr-pgy)  
**How does access to this work benefit you? Let us know!**

---

### **Recommended Citation**

"Child marriage briefing: Ethiopia." New York: Population Council, 2005.

This Brief is brought to you for free and open access by the Population Council.

## OVERVIEW OF CHILD MARRIAGE

**Child marriage is a fundamental violation of human rights.** Many girls (and a smaller number of boys) are married without their free and full consent. By international conventions, 18 years has been established as the legal age of consent to marriage.<sup>1</sup> If the timing of marriage does not change, over 100 million girls will be married as children in the next ten years.<sup>2</sup>

**Child marriage is closely associated with no or low levels of schooling for girls.** In West and Central Africa, girls with three or fewer years of schooling are five times more likely than girls with eight or more years of schooling to marry before age 18.<sup>3</sup> Poverty leads many families to withdraw their daughters from school and arrange marriage for them at a young age. These girls are denied the proven benefits of education, which include improved health, lower fertility, and increased economic productivity.<sup>4</sup>

**Child marriage, in many instances, marks an abrupt transition into sexual relations with a husband who is considerably older and unchosen.** The younger a bride is, the more likely it is that she enters marriage as a virgin, and the larger the age difference between her and her spouse.<sup>5</sup> Parents frequently arrange marriages for their daughters without their input or consent; in Pakistan, only 3 percent of married girls had some say in choosing their spouse.<sup>6</sup> In some settings it appears that the younger a girl is when she gets married, the less say she has in the choice of her husband.<sup>7</sup>

**First births carry special risks for both mother and child.** The vast majority of births to adolescent girls are first births that occur within marriage.<sup>8</sup> The foremost risk first births carry is prolonged or obstructed labor, which can result in obstetric fistulas in settings where access to care is limited. First births also have elevated risks of pre-eclampsia, malaria, and infant mortality.<sup>9</sup> Girls who give birth during adolescence

require special attention because they are less mature and are simultaneously coping with their own and their baby's physiological, emotional, and economic needs.<sup>10</sup> Globally, adolescent mothers tend to be poorer, less educated, and less adequately nourished than older mothers; they also face greater social disadvantage.<sup>11</sup>

**Married girls have distinct and in some settings substantial risks of acquiring HIV.** Child brides typically experience high rates of unprotected sex, have significantly older (and thus more sexually experienced) spouses, and are largely unable to negotiate safer sex.<sup>12</sup> In settings with generalized HIV/AIDS epidemics, these factors may leave married girls vulnerable to infection. Indeed, a study in Kisumu, Kenya and Ndola, Zambia not only found strikingly high HIV prevalence rates among married girls (32.9 percent and 27.3 percent respectively), but also found that these rates were about 11 percentage points higher than the rates among unmarried sexually active girls.<sup>13</sup>

This landlocked East African nation is home to more than 70 million people, with 44 percent of its population under age 15.<sup>14</sup> Ethiopia is one of the poorest countries in the world; approximately 81 percent of its population live on less than US\$2 a day.<sup>15</sup> Life expectancy has fallen to 42 years, owing to recurrent food shortages, ongoing clashes, and a growing HIV epidemic.<sup>16</sup>

Ethiopia has one of the most severe crises of child marriage in the world today. The legal age of marriage is 18 for both males and females,<sup>17</sup> but it is widely ignored. Ethiopia is the site of some of the most abusive marital practices, such as marriage by abduction and forced unions between cousins (*abusuma*). Another harmful practice is female genital circumcision, which affects some 80 percent of Ethiopian women. More than half of circumcisions occur before a girl's first birthday.<sup>18</sup>

### A high prevalence of child marriage exists

Nationwide, 19 percent of girls were married by age 15, and about half of girls were married by age 18.<sup>19</sup>

Child marriage is extremely prevalent in some regions; in Amhara, 50 percent of girls were married by age 15, and 80 percent were married by age 18.<sup>20</sup>

### Married girls receive little or no schooling

Eighty percent of married girls have received no education, and 81 percent cannot read at all.<sup>21</sup>

Three percent of married girls aged 15–19 are in school, compared to 34 percent of unmarried girls.<sup>22</sup>

### Large spousal age differences are common and may limit married girls' autonomy and decisionmaking ability

The younger a bride is, the greater the age difference between her and her spouse. In Ethiopia, the mean age difference between spouses is 10.1 years if the wife marries before age 15 compared to 8.6 years if the wife marries at or after age 20.<sup>23</sup>

### First births have elevated risks; the youngest first-time mothers and their children are especially vulnerable to poor health outcomes

Among married girls aged 15–19 in Ethiopia, almost half have already given birth.<sup>24</sup>

The vast majority of births occurring to girls before age 18 are first births (77 percent), and nearly all of these first births occur within marriage (96 percent).<sup>25</sup>

Prolonged and obstructed labor can result in obstetric fistulas, which disproportionately afflict very young and first-time mothers. It is

estimated that 9,000 new fistulas occur annually in Ethiopia.<sup>26</sup> This condition leaves girls and women continually leaking urine and/or feces, frequently leading to abandonment by partners, friends, and family.

### The conditions of girls' sexual lives in early marriage may place child brides in a particularly vulnerable position in the context of the HIV epidemic

Among young people aged 15–24, girls are more likely than boys to be infected with HIV (10.0 percent vs. 5.6 percent).<sup>27</sup>

Unmarried sexual activity is relatively rare; 94 percent of sexually active girls in Ethiopia are married.<sup>28</sup>

Married girls have limited ability to negotiate condom use. Among girls who do not want to get pregnant, 68 percent of married girls are having unprotected sex, compared to only 1 percent of unmarried sexually active girls.<sup>29</sup>

In Amhara region, two of the four sentinel sites report the highest rates of HIV among pregnant women in the entire country. This region also has the lowest average age of marriage in Ethiopia.<sup>30</sup>

### Recommendations to promote later, chosen, legal marriage

- Raise awareness of the extent of early marriage and the human rights abuse it constitutes.
- Publicize and enforce the national law that establishes 18 as the legal age of marriage.
- Engage communities through public campaigns, pledges, or incentive schemes.
- Raise the awareness of parents, community leaders, and policy-makers about the health and rights implications of young girls marrying much older men.
- Develop special social and health support structures for young, first-time mothers.
- Encourage governments and communities to commit to getting girls to school on time and to keeping them in school through the secondary level. Being in school during adolescence has important health and development benefits for girls.<sup>31</sup>
- Develop social and economic programs for out-of-school girls, including nonformal education programs.

## REFERENCES

- 1 See, among others, The Universal Declaration of Human Rights (1948); The Convention on the Elimination of All Forms of Discrimination Against Women (1979); The Convention on the Rights of the Child (1989); and The African Charter on the Rights and Welfare of the Child (1990).
- 2 2002 Population Council analysis of United Nations country data on marriage.
- 3 Demographic and Health Survey (DHS) data on 20–24-year-olds. Analyses conducted in 2003 by Barbara Mensch for the National Academy of Sciences. See also Mensch, Barbara S., Susheela Singh, and John Casterline. 2003. "Trends in the timing of first marriage among men and women in the developing world," paper presented at the 68th Annual Meeting of the Population Association of America, Minneapolis, 1–3 May.
- 4 Population Council. 1995. "Accelerating girls' education: A priority for governments," fact sheet compiled for the Fourth World Conference on Women, Beijing, 4–15 September. See also Herz, Barbara and Gene B. Sperling. 2004. "What works in girls' education: Evidence and policies from the developing world." New York: Council on Foreign Relations.
- 5 Mensch, Barbara S., Judith Bruce, and Margaret E. Greene. 1998. *The Uncharted Passage: Girls' Adolescence in the Developing World*. New York: Population Council.
- 6 Figure is for 15–19-year-old married girls. Sathar, Zeba A., Cynthia B. Lloyd, Minhaj ul Haque et al. 2003. *Adolescents and Youth in Pakistan 2001–02: A Nationally Representative Survey*. Islamabad: Population Council.
- 7 Sajeda Amin and Luciana Suran, personal communication, 2004. Based on data from Amin, Sajeda, Simeen Mahmud, and Lopita Huq. 2002. "Baseline survey report on rural adolescents in Bangladesh." Dhaka: Ministry of Women's Affairs, Government of Bangladesh. See also El-Zanaty, Fatma, Enas M. Hussein, Gihan A. Shawky et al. 1996. *Egypt Demographic and Health Survey 1995*. Calverton, MD: National Population Council (Egypt) and Macro International, Inc.
- 8 78 percent of births that occur before age 18 are first births, and 90 percent of first births that occur before age 18 occur within marriage. DHS data analyzed by Monica Grant, Policy Research Division, Population Council. (DHS surveys cover 60 percent of developing-country populations.)
- 9 Kiely, Michele (ed.). 1991. *Reproductive and Peri-natal Epidemiology*. Boca Raton, FL: CRC Press. See also Kline, Jennie, Zena Stein, and Mervyn Susser. 1989. *Conception to Birth: Epidemiology of Prenatal Development*. New York: Oxford University Press.
- 10 Nancy Sloan, personal communication, 2004.
- 11 Miller, Suellen and Felicia Lester. 2003. "Married young first-time mothers: Meeting their special needs," paper prepared for the WHO/UNFPA/Population Council Technical Consultation on Married Adolescents, WHO, Geneva, 9–12 December.
- 12 Clark, Shelley. 2004. "Early marriage and HIV risks in sub-Saharan Africa," *Studies in Family Planning* 35(3): 149–160.
- 13 Glynn, J.R., M. Caraël, B. Auvert et al. 2001. "Why do young women have a much higher prevalence of HIV than young men? A study in Kisumu, Kenya and Ndola, Zambia," *AIDS* 15(suppl 4): S51–S60.
- 14 Population Reference Bureau (PRB). 2003. "2003 world population data sheet." Washington, DC: PRB.
- 15 United Nations Development Programme (UNDP). 2004. *Human Development Report 2004: Cultural Liberty in Today's Diverse World*. New York: UNDP.
- 16 PRB 2003.
- 17 Center for Reproductive Law and Policy (CRLP). 2001. *Women of the World: Laws and Policies Affecting their Reproductive Lives (Anglophone Africa)*. New York: CRLP.
- 18 Central Statistical Authority (Ethiopia) and ORC Macro. 2001. *Ethiopia Demographic and Health Survey 2000*. Addis Ababa, Ethiopia and Calverton, MD: Central Statistical Authority and ORC Macro.
- 19,20 *Ethiopia Demographic and Health Survey 2000 (EDHS 2000)*. Data are for 20–24-year-olds.
- 21,22 *EDHS 2000*. Data are for 15–19-year-olds.
- 23 *EDHS 2000*. Data are for 25–49-year-olds.
- 24 *EDHS 2000*. Data are for 15–19-year-olds.
- 25 *EDHS 2000* data analyzed by Monica Grant, Policy Research Division, Population Council.
- 26 Columbia University, United Nations Population Fund (UNFPA), and the International Federation of Obstetrics and Gynecology. 2001. *Report on the Meeting for the Prevention and Treatment of Obstetric Fistula: London, July 2001*. New York: UNFPA, Technical Support Division.
- 27 Figures given are high estimates. Estimates range from 5.7 percent to 10.0 percent for girls and from 3.2 percent to 5.6 percent for boys. Joint United Nations Programme on HIV/AIDS (UNAIDS). 2002. *Report on the Global Epidemic 2002*. Geneva: UNAIDS.
- 28–30 Bruce, Judith and Shelley Clark. 2003. "Including married adolescents in adolescent reproductive health and HIV/AIDS policy," paper prepared for the WHO/UNFPA/Population Council Technical Consultation on Married Adolescents, WHO, Geneva, 9–12 December.
- 31 Herz and Sperling 2004.

FOR MORE INFORMATION ABOUT CHILD MARRIAGE, CONTACT ERICA CHONG AT [echong@popcouncil.org](mailto:echong@popcouncil.org)

TO VIEW OTHER COUNTRY BRIEFINGS IN THIS SERIES, VISIT [www.popcouncil.org](http://www.popcouncil.org)

Population Council • One Dag Hammarskjöld Plaza, New York, NY 10017

Updated September 2005