2013

A toolkit for developing bilingual lexicons for international HIV prevention clinical trials

Catalina B. Ramirez

Natasha Mack

Barbara Friedland
Population Council

Follow this and additional works at: https://knowledgecommons.popcouncil.org/departments_sbsr-hiv

Part of the [Demography, Population, and Ecology Commons](#), [Family, Life Course, and Society Commons](#), [International Public Health Commons](#), and the [Medicine and Health Commons](#)

How does access to this work benefit you? Let us know!

Recommended Citation

Ramirez, Catalina B., Natasha Mack, and Barbara Friedland. 2013. "A toolkit for developing bilingual lexicons for international HIV prevention clinical trials." New York: Population Council and FHI 360.

This Guide/Toolkit is brought to you for free and open access by the Population Council.

A TOOLKIT FOR DEVELOPING BILINGUAL LEXICONS FOR INTERNATIONAL HIV PREVENTION CLINICAL TRIALS

CATALINA RAMIREZ, MPH, MHA
NATASHA MACK, PHD
BARBARA FRIEDLAND, MPH

USAID
FROM THE AMERICAN PEOPLE

A TOOLKIT FOR DEVELOPING BILINGUAL LEXICONS FOR INTERNATIONAL HIV PREVENTION CLINICAL TRIALS

Catalina Ramirez, MPH, MHA
Natasha Mack, PhD
Barbara Friedland, MPH

ACKNOWLEDGMENTS

The authors wish to thank Kate MacQueen, PhD, along with Soori Nnko, PhD, the National Institute for Medical Research (NIMR), Tanzania, Kelly Simpson, and the participants of the study from which the toolkit was developed. We also express our appreciation to Janet Kariuki and Stella Mujaya for their assistance with Swahili translations. In addition, the authors are grateful to Joyce Altman, Sherry Hutchinson, Virginia Kallianes, and Christina Tse for their assistance on this publication.

Suggested citation: Ramirez, Catalina, Natasha Mack, and Barbara Friedland. 2013. *A Toolkit for Developing Bilingual Lexicons for International HIV Prevention Clinical Trials*. New York: Population Council and FHI 360.

This toolkit was made possible through support provided by the United States Agency for International Development (USAID) under the terms of Cooperative Agreement No. HRN-A-00-99-00010. The contents are the responsibility of the authors and do not necessarily reflect the views of USAID or the United States Government.

The Population Council confronts critical health and development issues—from stopping the spread of HIV to improving reproductive health and ensuring that young people lead full and productive lives. Through biomedical, social science, and public health research in 50 countries, we work with our partners to deliver solutions that lead to more effective policies, programs, and technologies that improve lives around the world. Established in 1952 and headquartered in New York, the Council is a nongovernmental, nonprofit organization governed by an international board of trustees.

One Dag Hammarskjöld Plaza
New York, New York 10017 USA
Tel: 1-212-339-0500/Fax: 1-212-755-6052
www.popcouncil.org

FHI 360 is a nonprofit human development organization dedicated to improving lives in lasting ways by advancing integrated, locally driven solutions. Our staff includes experts in health, education, nutrition, environment, economic development, civil society, gender equality, youth, research, technology, and communication and social marketing—creating a unique mix of capabilities to address today's interrelated development challenges. FHI 360 serves more than 60 countries and all U.S. states and territories.

2224 East NC Highway 54
Durham, NC 27713 USA
Tel: 1-919-544-7040/Fax: 1-919-544-7261
www.fhi360.org

©2013 The Population Council, Inc.

Any part of this publication may be photocopied without permission from the publisher provided that copies are distributed without charge and that full source citation is provided. The Population Council and FHI 360 would appreciate receiving a copy of any materials in which the text is used.

TABLE OF CONTENTS

ACKNOWLEDGMENTS	ii
LIST OF EXAMPLES, FIGURES, AND TABLES	iv
ACRONYMS	v
I. INTRODUCTION	1
What Is a Bilingual Lexicon?	1
Why Is a Bilingual Lexicon Useful?	2
Why Use This Toolkit?	3
II. THE LEXICON DEVELOPMENT PROCESS	4
Getting Started	4
Step 1: Develop Preliminary Lexicon	4
Step 2: Develop Focus Group Discussion (FGD) Guide to Assess the Preliminary Lexicon	6
Step 3: Analyze Data from Development FGDs	12
Step 4: Revise the Preliminary Research Lexicon	14
Step 5: Develop FGD Guides to Assess the Revised Lexicon	16
Step 6: Analyze Data from Verification FGDs	21
Step 7: Finalize the Research Lexicon	24
III. LEXICON DATABASE	28
APPENDIX 1. PRE-RESEARCH ACTIVITIES	29
APPENDIX 2. CASE STUDIES	32
APPENDIX 3. LEXICON EXAMPLE (SWAHILI)	44
APPENDIX 4. LEXICON DATABASE SAMPLE SCREENS	59

LIST OF EXAMPLES, FIGURES, AND TABLES

EXAMPLES

Example 1	Excerpt from Bilingual Lexicon in English and Zulu, Carraguard Phase 3 Trial, KwaZulu-Natal, South Africa	2
Example 2	Identifying Terms in an Informed Consent Form	5
Example 3	Preliminary Lexicon Development Spreadsheet (Swahili)	6
Example 4	Focus Group Discussion Guide	10
Example 5	Revised Preliminary Lexicon Spreadsheet (Swahili)	14
Example 6	Verbal Multiple-Choice Data Collection Form (Swahili)	20
Example 7	Data Collected from Verbal Multiple Choice Technique During FGDs	21
Example 8	Revised Lexicon Spreadsheet (Swahili)	25
Example 9	Final Lexicon Entry (Swahili)	26

FIGURES

Figure 1	Research Lexicon Process	3
Figure 2	Research Lexicon Process	24
Figure 3	Research Staff Organization Chart	29

TABLES

Table 1	Questioning Techniques to Assess Preliminary Lexicon	7
Table 2	Questioning Techniques to Assess Revised Lexicon	16

ACRONYMS

AIDS	acquired immunodeficiency syndrome
ARV	antiretroviral
FGD	focus group discussion
FTE	full-time effort
HIV	human immunodeficiency virus
PI	Principal Investigator
PrEP	pre-exposure prophylaxis
RA	Research Assistant
STD	sexually transmitted disease

I. INTRODUCTION

Achieving participant comprehension is one of the most difficult practical, ethical, and regulatory aspects of clinical research, even under optimal conditions where trial volunteers are well-educated and familiar with Western medical practice and research. Language can be a barrier to participant comprehension in any setting, because researchers often use technical terminology that trial participants may not easily understand.

In the context of international clinical trials, language and communication poses additional challenges when local languages do not have scientific or technical vocabularies in relevant subject areas. When new vocabulary is needed for terms that do not exist in the local language (e.g., “placebo,” “randomization,” or “microbicide”), researchers and translators develop specific translations for use in the studies they are conducting. No standardized process exists, however, for developing a set of agreed upon terms, definitions, and translations in local languages that ensures participants understand both technical and nontechnical terms used in the clinical trial context.

Effectively informing research participants is particularly complicated in HIV prevention trials that involve HIV-negative volunteers at high risk of HIV infection, who are often from low-literacy, resource-poor communities. In addition, HIV prevention trials deal with a disease that is stigmatized and with sexual behaviors that may not be openly discussed. Terms related to sexual behaviors (e.g., “anal sex,” “oral sex,” “steady partner,” “casual partner”) and reproductive health likely exist in local languages; however, care must be taken in the selection of words to ensure terms are appropriate for use in the context of a clinical trial and understandable but not offensive or pejorative.

Because there is no standardized process for translation across research sites, study terminology may gain only limited usage, requiring researchers to re-translate terms for each study. The lack of a standardized process can make it difficult for researchers to decide which words to use, or even to find out what terminology choices exist, because published resources may not be available. As a result, it is less likely that clinical trial vocabulary developed for a particular language will gain currency, and therefore, the opportunity for this new “lexicon” to achieve longevity is weakened. The lack of consistent translations hinders access to scientific and technical knowledge for clinical trial participants, as well as for research communities, at large.

What Is a Bilingual Lexicon?

A lexicon is a set of terms, similar to a glossary, relating specifically to a particular subject area—in this case clinical trials of HIV prevention technologies. The bilingual lexicon is used to ensure consistency in translation across all documents and materials used in a particular clinical trial. Thus, once the bilingual lexicon has been developed, there is a standard way to translate terms used in informed consent forms, data collection instruments, counseling sessions, and communication about the trial in the community. Example 1 shows a sample of a bilingual lexicon in English and Zulu.

Example 1 Excerpt from Bilingual Lexicon in English and Zulu, Carraguard Phase 3 Trial, KwaZulu-Natal, South Africa*

Term	English Definition	Translation into Local Language	Definition in Local Language	Back Translation
Abnormal results	Information from tests that show there is an infection or other condition that is unusual for a person	<i>Imiphumela engajwayelekile</i>	<i>Ulwazi oluqhamuka ekuhloleni olutshengisa ukuthi kunokuthetheleka noma esinye isimo esingajwayelekile kumuntu</i>	Abnormal results
Abnormalities	Any condition that is unusual for a person—signs (seen by clinician), symptoms (experienced by woman)	<i>Okungajwayelekile</i>	<i>Noma isiphi isimo esingajwayelekile kumuntu—izimpawu (ezibonwa udokotela), izinkomba (ezizwiwa owesifazane)</i>	Abnormalities
Abstinent(ence)	Not having sex (for a period of time)	<i>Ukungalwenzi ucansi</i>	<i>Ukungalwenzi ucansi (isikhathi esithile)</i>	Abstain
AIDS	Condition caused by HIV that prevents the body from fighting disease	<i>Isifo sengculaza</i>	<i>Izifo eziningi ezibangelwa igciwane lengculaza elenza ukuba umzimba womuntu ungakwazi ukuzisebenzela ngokwawo ngenxa yokuthi libulala amasosha omzimba omuntu ekumele alwe nezifo</i>	AIDS
Anal sex	Sex with penis in woman's anus	<i>Ucansi lwembobo yangemuva</i>	<i>Ukufaka isitho sangasese sowesilisa embobeni yokuzithuma yowesifazane</i>	Anal sex

*Skoler-Karpoff, S. et al. 2008. "Efficacy of Carraguard for prevention of HIV infection in women in South Africa: a randomised, double-blind, placebo-controlled trial," *The Lancet* 372(9654): 1977–1987.

Why Is a Bilingual Lexicon Useful?

Overcoming translation challenges is vital for producing bilingual glossaries that can be used to translate technical information, be disseminated among developing country populations and trial researchers, and presumably improve participant comprehension of clinical trial documents. Correct translations are also critical to be certain that trial participants understand questions they are asked and answer them appropriately. For example, in a recent microbicide clinical trial, participants were asked if they had had unprotected anal intercourse. The frequency of “yes” responses among Zulu speakers was higher than at sites where other languages were spoken, leading investigators to question the translation. The translation of “anal sex” was euphemistic, and local clinical trial staff thought the translated term might have been erroneously interpreted by study participants as vaginal “sex from behind.” In another trial, results of pilot-testing the informed consent form indicated that people understood the word “care” to mean “cure,” because of an inaccurate translation. Thus, it is crucial to ensure correct and appropriate translations throughout all trial materials.

Why Use This Toolkit?

This toolkit will guide researchers through the process for identifying or improving translations of clinical research terms that are difficult to translate or comprehend. The toolkit provides a multistep process for eliciting and field-testing culturally and linguistically valid translations of key research-related terms and concepts.

The process, which is outlined in detail in this toolkit, involves several steps:

- **Developing a preliminary lexicon:** A preliminary lexicon includes two entries: 1) an English entry with the words or terms to be translated, as well as simple definitions, and 2) a local language entry that includes a translation of the English term and simple definition.
- **Revising and refining the lexicon:** A first round of focus groups that utilizes several questioning techniques will provide insight into local participants' baseline understanding of terms and translated definitions. Based on the participant discussion, the local language entry for the research lexicon will be refined or additional data collection will be conducted with different techniques to better assess participant understanding of the research term or of a revised definition.
- **Verifying the revised lexicon:** In cases where a questioning technique was successful a second round of focus groups will allow you to verify the terms that were elicited in the first round and assess whether participants prefer one term over another. In cases where a questioning technique was **not** successful a second round focus will allow you to test an existing or revised term definition.
- **Finalizing the lexicon:** The lexicon development process allows for as many rounds of focus groups and revisions of the preliminary lexicon as necessary. Once all revised terms have been successfully verified and/or you have identified term preferences, then the local-language entry for the research lexicon can be finalized.

Figure 1 Research Lexicon Process

II. THE LEXICON DEVELOPMENT PROCESS

Getting Started

Before initiating any research activities, it is important to meet with the local research team and confirm that adequate human, financial, and time resources are available to complete data collection and analysis (see Appendix 1 for a thorough outline of pre-research activities).

The next few sections will guide you through the process of identifying culturally relevant translations for potentially difficult-to-comprehend terminology related to research, sexual behavior, reproductive health, and infectious diseases commonly used in HIV prevention clinical trials. This process will entail developing “translatable” definitions for each term with the help of a local translator, conducting focus groups to elicit local terminology, verifying the comprehensibility of definitions, and analyzing the data to identify participants’ preferred translations.

Step 1: Develop Preliminary Lexicon

In collaboration with site investigators and a qualified local translator, develop an English lexicon of terms used in the clinical trial documents which you assess as potentially problematic when translated into the local language. If informed consent forms have already been developed, it is useful to begin by reviewing these documents and identifying specific research terms or explanations of the research that may be unfamiliar to the local population (see Example 2).

Example 2 Identifying Terms in an Informed Consent Form

Enhancing Local Verbal and Nonverbal Communication for Informed Consent Processes in Tanzania

MOCK INFORMED CONSENT—NOT A REAL STUDY

Introduction

The purpose of today's enrollment visit is to explain all the details of the HIV-PrEP clinical trial to you, answer any questions that you may have, review your eligibility to take part in the trial, obtain your consent to take part in the trial, and enroll you in the research study.

In order to be sure that you are informed about being in this HIV-PrEP clinical trial, we are asking you to read (or have read to you) this Consent Form in Swahili. At the end of the consent form, we will ask you to indicate your willingness to join in this trial. This consent form may contain some words that are unfamiliar to you. Please ask us to explain anything that you do not understand.

Information about HIV and How to Protect Oneself from Getting HIV

HIV is the virus that causes AIDS. There is no cure for HIV. In sub-Saharan Africa, and here in Tanzania, the main way HIV is spread is through sex. If a person has more than one sex partner, they are more likely to become infected with HIV. Anal sex has a much higher risk of getting a person infected than vaginal sex. The best way to prevent HIV is not having sex. If a person has sex, their risk of becoming infected with HIV is smaller if condoms are used every time they have sex. Condoms are 80% to 90% effective in protecting a person against HIV if used correctly every time they have sex. At every study visit during this trial, you will be given as many free condoms as you need. We will teach you how to use the condoms. Also, as part of this trial, we will talk with you about your sex behavior and help you decide what you can do to reduce your risk of getting HIV.

Reason for Being Asked to Take Part in the Research

You are being asked to take part in this clinical trial because you are a woman who is sexually active and may be at increased risk of HIV exposure. During the trial, you believe that you will continue to be sexually active for the next 12 months. You can still stay in the trial if you change your sexual behavior.

General Information about the HIV-PrEP Clinical trial

We are conducting this clinical trial to find out if PreVI is safe and can reduce the chance that women get HIV from sex. PreVI is a pill that needs to be taken once a day, with or without food. It is made from two different types of antiretroviral drugs (also called ARVs). ARVs are used to treat people with HIV.

PreVI is used to treat people already infected with HIV. We do not know if it can also prevent people from getting infected with HIV. The purpose of this clinical trial is to find out if PreVI can be used to prevent HIV.

In this trial, women will be assigned to one of two groups by chance. There is an equal chance of being in either of the groups. No one will choose which group they join. One group will be given PreVI. The other group will be given a placebo. The placebo is a harmless pill that looks, tastes, and is the same size as PreVI but contains no active ingredients. The placebo does not contain PreVI. We know for certain that the placebo does not protect against HIV. We do not know if PreVI protects against HIV. That is why we are doing this clinical trial.

During the trial, neither the women nor study staff will know who gets PreVI and who gets the placebo. This will be known only at the end of the trial. Researchers will then compare how many women in each group became infected with HIV. That is how we can find out whether or not PreVI can reduce the chance that women get HIV through sex.

Once you have identified the terms, enter them into a spreadsheet, develop simple, nontechnical definitions for each word in English, and document the source of the definition (see Example 3).

Once the English terms and definitions have been entered into the lexicon, work with the qualified local translator to ascertain which words have an equivalent term in the target language. For terms that do not have an equivalent, work with the translator to identify potential translation choices. Document his/her preferred choice along with the reason for his/her preference.

Example 3 Preliminary Lexicon Development Spreadsheet (Swahili)

Term (English)	English Definition	Translation of Definition (Target Language)	Source of Definition
Casual sexual partner	A lover a person has sex with occasionally	<i>Mtu ambaye anakutana naye kimapenzi mara chache</i>	Translator/PI
Enroll	Process of registering to be an official member of the study participants	<i>Kujiandikisha na kuwa mmoja wa washiriki rasmi wa utafiti</i>	Translator/PI
Side effects	Unwanted problems that result from taking a drug	<i>Matatizo yasiyokusudiwa yanayotokana na utumiaji wa dawa</i>	Translator/PI
Speculum	An instrument to view the vagina	<i>Kifaa kinachotumika kufungua njia ya uke</i>	Translator/PI

Step 2: Develop Focus Group Discussion (FGD) Guide to Assess the Preliminary Lexicon

Now, you will need to develop a data collection guide that will assess your preliminary bilingual lexicon among participants from the target population for the trial.

Identifying the correct questioning technique

Four questioning techniques are explained below and examples for each one are provided. Choosing the correct questioning technique is a critical step in the process because it will dictate the type of information you will be able to collect from participants and later use to revise your research lexicon.

Table 1 Questioning Techniques to Assess Preliminary Lexicon

Technique	Description	Data Collected in Round 1
Term Explanation	Tests whether participants are familiar with technical and nontechnical terms that have been translated by providing the translated terms and asking participants to explain them to the group.	<ul style="list-style-type: none"> • Insight on participant familiarity with technical and nontechnical terms, in target language. • List of technical and nontechnical terms, in target language.
Definition Explanation	Tests a definition that has been developed by providing participants with a term and its definition and then asking them to explain the term (in their own words) to the group, or answer questions that assess their understanding of the concept.	<ul style="list-style-type: none"> • Feedback on translated definition (i.e., words or concepts that are difficult to understand). • List of technical and nontechnical terms, in target language.
Term Elicitation	Identifies whether participants are familiar with an existing term or concept by providing them with the translatable definition that you developed and asking them to provide matching terms. In some cases, you may also use scenarios to identify terms that are appropriate in a specific context (i.e., doctor's office, among peers).	<ul style="list-style-type: none"> • List of technical and nontechnical terms, in target language. • Feedback on explanation of term (i.e., words or concepts that are difficult to understand).
Term Creation	Gathers participants' ideas about how to translate relatively new English scientific words that have no equivalents in the target language by providing them with a detailed explanation of the idea, object, or process. Asks participants to reiterate their understanding of the concept and then provide terms or phrases in the target language that could be used to describe the concept.	<ul style="list-style-type: none"> • New terms created by participants. • Feedback on terms that were provided to participants.

Term Explanation Technique

The **Term Explanation Technique** is effective for assessing participants' familiarity with existing technical terms. To use this technique, provide participants with the translated term and ask them to explain the meaning, *or* provide participants with an explanation of the term and then ask them to explain it to the group.

Term: Safe Sex

Question: *What do you think is meant by the expression "safe sex"?*

Term: Sexually Transmitted Infection

Question: *Sexually transmitted infections happen when a person has physical contact with the penis, vagina, or anus of a person who has an infection, even if they do not have symptoms. Anyone can get a sexually transmitted infection. What are the different kinds of sexually transmitted infections? What are the symptoms of these infections?*

Term: Research Study

Question: *Research is the process of carefully studying information to discover one or more facts. Let me give you an example. Scientists have developed a new drug. They want to know if it will cure malaria infection within one week. They must do research to learn the answer to this question. First they have to find 100 people with malaria who are willing to try the new drug. If it cures the malaria infections of most of the people within one week, scientists will learn the answer to the question. Who does research? What is the purpose of research?*

Definition Explanation Technique

The **Definition Explanation Technique** is effective for testing participants' comprehension of the definitions that you created for technical terms. To use this technique, provide participants with the definition of the term and then ask them to explain it to the group using local words or terms that express the concept.

Term: Screening

Question: *Study staff will ask the person some questions to find out if the person has all the characteristics on the list. The person may also need to have some laboratory tests to find out about her health. For the research study you are participating in today, we asked you some questions to make sure you had all of the characteristics necessary. Could someone explain to the group what that process was like? What were the characteristics necessary to be in today's research?*

Term: Multiple Concurrent Sex Partners

Question: *During the past three months, Eliza has had more than one sexual partner. What does this mean to you?*

Term: Informed Consent

Question: *Before a woman decides if she wants to be in the study, study staff will review a document with her that explains the following:*

- *The purpose of the research, the study procedures, and the number of people in the study (i.e. study purpose).*
- *What she will have to do if she joins the research study and how long she will be in the study (i.e. study participation).*
- *Ways she may get hurt or have other problems as a result of being in the research study (i.e. risks).*
- *What she will get as a result of being in the research study (i.e. benefits).*
- *Being in the research study is her own decision; no one will force her to be in the study (i.e. voluntary participation).*
- *Study staff will not tell anyone that she is in the study or any of her personal information (i.e. confidentiality).*
- *Any money she may get for being in the study (i.e. compensation).*
- *Whom to contact if she has any questions or problems*
- *What she is due or allowed legally and morally for being in the study (i.e. rights as a participant).*

Do you remember going through this process to be in this study today? As the study staff are reviewing the document with her, the woman can ask any questions she has. At the end, she may take some time to decide if she wants to be in the study or not. She has been given information about the study, and now she may decide if she agrees to be in the study. What are some other ways to say that she has agreed to be in the study?

Term Elicitation Technique

The **Term Elicitation Technique** is effective for assessing participants' familiarity with a term or concept by generating a list of technical and nontechnical terms known to participants. To use this technique, present participants with explanations of a term and ask them to provide local words that express the concept. In some cases, you may find that using vignettes or stories may offer an effective way to add context to a term, such as different types of sexual behaviors.

Term: Family Planning Methods

Question: *Sometimes a woman does not want to have a baby. There are different ways a woman can avoid becoming pregnant. What are some general terms for ways to avoid becoming pregnant?*

Term: Casual Sex Partner

Question: *Ngwash's friend Kabula has sex with a man named Malimy sometimes. Kabula and Malimy both have other sexual partners. What could you call a sexual partner a woman sees only sometimes?*

Term: Side Effects

Question: *Sometimes drugs can cause unwanted problems such as headaches, weight loss or weight gain, sleepiness, or problems with your liver. What else could you call these unwanted problems that result from a drug?*

Term Creation Technique

The **Term Creation Technique** is effective for collecting participants' ideas about how to translate relatively new English scientific words that have no equivalents in the target language. It also indicates whether they prefer a new word 1) that sounds similar to the source language word or 2) whose meaning is clear upon hearing the word. To use this technique, describe the term or concept to participants, tell them the English word, and ask them to suggest words or terms in their local language. You may also choose to provide examples that have been developed by the translator or are local pronunciations.

Term: Microbicides

Question: *Now I want to talk a little bit more about one prevention method scientists are testing. This method is for a woman to put a special gel in her vagina before having sex. The gel is a substance like a lubricant. The gel would prevent the virus from infecting a woman. Scientists call this method of HIV prevention "microbicide" in English. We are trying to create a good name for this method in our language. One option is to keep the word "microbicide" but give it our local pronunciation. What do you think about this word? What does it make you think of?*

A second option is to call it “substance that destroys microbes.” What do you think about this word? What does it make you think of?

What other words would be a good name for this method?

Determining the length and content of the focus group guides

Determine how many question guides to create for Round One of the focus groups based on the number of terms in your preliminary lexicon and discreet content categories (i.e., research, reproductive health, sexual behavior, etc.).

We suggest a maximum of 10 to 12 questions per focus group and no more than two content categories per focus group. Discussions that contain more than the suggested number of questions/content areas can result in overly long complex discussions that can fatigue participants. Questions should be grouped by category and include moderator scripts which can be used to transition between questions and probes to clarify participant responses (see Example 4).

Example 4 Focus Group Discussion Guide

Example Focus Group Guide: Assessing the Preliminary Lexicon	
Focus Group ID# _____	
Date _____	Start Time _____
Moderator _____	End Time _____
Note-taker _____	# Participants _____
 Introduction [Read to Participants]	
<p><i>Our goal today is to discuss the different ways to talk about reproductive health in Swahili. Sometimes, researchers use words that are not words we typically use here in the community. When this happens, research participants and researchers may not always understand each other. Our discussion today will help researchers use Swahili more effectively in their research studies. It will also help future research participants to understand the research better.</i></p>	
<p><i>Today we will be talking about various aspects of reproductive health. We want to know all the words and expressions that people use to describe these aspects of reproductive health. I hope that no one will feel embarrassed by the things I will be asking you! If you do feel embarrassed, you do not have to answer the question. Please remember that this is not an examination. We want to learn what words you use to talk about reproductive health. There are no right or wrong answers.</i></p>	
<p><i>Okay let's get started by talking about different activities that take place when people go to a medical facility.</i></p>	

Example 4 Focus Group Discussion Guide (continued)

Question 1: (Term: Blood Test; Technique: Term Elicitation)

Sometimes when people go to see a doctor they get their blood analyzed. The reason for analyzing the blood is to check it for the presence of a virus or bacteria that causes infection. Other times the reason is to check for other problems in the body.

What words could you use to refer to this process of checking the blood?

Question 2: (Term: Pregnancy Test; Technique: Term Elicitation)

Sometimes medical staff will ask the person to urinate in a cup. The medical staff will examine your urine to see if you are pregnant.

What words do you use to describe this process of medical staff examining your urine to see if you are pregnant?

Question 3: (Term: Research; Technique: Term Explanation and Definition Explanation)

Now let us talk about research studies.

Who knows what research is? Please tell us all that you know about research.

Research is the process of carefully studying information to discover one or more facts. Let me give you an example. Scientists have developed a new drug. They want to know if it will cure malaria infection within one week. They must do research to learn the answer to this question. First they have to find 100 people with malaria who are willing to try the new drug. If it cures the malaria infections of most of the people within one week, scientists will learn the answer to the question.

- *Who does research?*
- *What is the purpose of research?*

Question 4: (Term: Clinical Trial; Technique: Term Explanation and Definition Explanation)

Now let's talk about a particular kind of research.

Who knows what a clinical trial is? Please tell me all that you know about clinical trials.

A clinical trial is a kind of research study that 1) tests to see whether a new drug is safe, 2) tests a drug to see if it helps people who already have a medical problem, or 3) tests to see if the drug prevents people from getting the medical problem.

- *Who can explain now what a clinical trial is?*
- *What is the purpose of a clinical trial?*

WALKING A TIGHTROPE: CHALLENGES OF USING ILLUSTRATIONS IN BILINGUAL LEXICONS

Pictures and illustrations are often used in participant educational materials to facilitate understanding of clinical trial procedures in international settings. As part of this study, illustrations were developed to communicate a wide range of concepts, objects, and clinical procedures (e.g., anal sex, condom, pelvic exam). Use of illustrations to illicit terminology or translations proved problematic in this study for a number of reasons. Participants' interpretation of pictures was influenced by culturally specific norms and nuances, which were not always known during the development of the illustrations. In addition, if participants were unfamiliar with a particular clinical procedure, such as a pelvic exam, showing them an illustration was not helpful for generating discussion of appropriate terminology. As a result, techniques that involved pictures were not successful in this study. Therefore, the techniques recommended in this toolkit do not include illustrations; any development of pictures and illustrations should be approached with caution and informed by a rigorous research process.

Step 3: Analyze Data from Development FGDs

The goal of analysis is to synthesize the focus group so that you may further refine and revise your research lexicon. Each technique will yield different pieces of data that must be captured during the analysis process.

Analyze the transcript to identify the relevant portions of the discussions, per the objectives of the technique that was used. Following the completion of the focus groups, each discussion should be transcribed in its entirety and translated into English to facilitate analysis.

For questions that assessed a participants' familiarity with a term, such as **Term Explanation** and in some cases **Term Elicitation**, you will need to read through the transcript and determine whether participants understood the term. The first step may be to go back to the definition that was created in the preliminary lexicon and assess whether participants' explanations of the term are congruent.

The example below, for the term "safe sex," highlights how participants' discussion about a term can be compared with the definition of the term to assess comprehension. Analysis of these segments indicates that participants understand the concept of the term—they provide different Swahili words for "safe sex," such as "to have safe sex," and also mention that it means to "protect yourself." Moreover, they provide a number of examples (highlighted below) of what might be entailed in safe sex, including condom use, HIV testing, and mutual monogamy.

Term: Safe Sex

Definition: Sexual activity in which people protect themselves against diseases.

Term Explanation Question: *What do you think is meant by the expression "safe sex"?*

Focus Group Discussion:

Respondent (R): *Safe sex is like...to use condoms.*

R: *To have safe sex.*

R: *Wife and husband shouldn't have sex outside their marriage.*

R: *As of now, the way I understand safe sex is having prevention during sexual intercourse.*

R: *To test first, and if you discover that you are well, you will have sex more safely; therefore, it is to protect yourself even [if] on another day you will fear to have sex outside your marriage. You will know that when I will go there I can acquire the disease, and when I return home she will know that it is me who has brought the disease.*

For questions that assess participants' understanding of a term and definition, such as **Definition Explanation**, **Term Elicitation**, and in some cases **Term Explanation**, results will be determined through an analysis of the terms that were solicited. All solicited terms will need to be extracted from the translated transcript and sent to the study translator so that he/she may verify the English translation and provide notes on usage. The feedback from the translator will be used to determine whether the terms that were provided were indeed synonyms of the original lexical entry.

The example below, for the term “voluntary,” highlights how terms that are elicited as part of the discussion can be utilized to assess participant understanding. Terms elicited from participants are highlighted. Several participants provided the exact terms we were referring to, while others mentioned similar concepts, such as a personal decision to participate in research. The translated transcript provided for this example; contains the translation of the terms that were originally used in the Swahili discussion that were verified by the study translator.

Term: Voluntary

Definition: When a person chooses freely whether to join research.

Term Elicitation Question: *People are never forced to join research studies. They must always make the decision on their own, but are free to consult with whomever they would like. They choose freely to join research or not join research. What words would you use to describe when a person makes a decision freely to do something?*

Focus Group Discussion:

R: *She has done that voluntarily.*

R: *She is ready to do what...to participate.*

R: *Someone's decision.*

R: *To volunteer; someone else can say to volunteer.*

Interviewer (I): *To volunteer; what else, what is the other word? I mean this one has done, has decided to do something voluntarily, she has decided to do that thing. We say she has volunteered to do that thing; okay, what are the other words?*

R: *She has tossed herself into doing something.*

R: *To volunteer oneself.*

For questions that utilize the **Term Creation Technique**, you will need to read through the transcript and identify all novel terms provided by participants, as well as participants' feedback on terms provided by the interviewer. All solicited terms should be extracted from the translated transcript and sent to the study translator, who will verify the English translation. An example of this process is provided in the case study in Appendix 2.

Step 4: Revise the Preliminary Research Lexicon

Analysis of the focus groups is then used to revise the preliminary lexicon spreadsheet. Columns should be added to capture the questioning technique used, the terms elicited (if applicable), the definition for the terms elicited (if applicable), whether the technique was successful, and any notes on usage provided by participants or the translator.

Adding elicited terms

Terms elicited from the discussion of the terms “safe sex” and “voluntary” have been added to the spreadsheet to provide examples.

Example 5 Revised Preliminary Lexicon Spreadsheet (Swahili)

Term (English)	English Definition	Translated Definition (Source Language)	Round 1 Focus Groups				
			Question Technique Used	Terms Elicited (Target Language)	Definition (English)	Success (Y/N)	Notes on Usage
Safe Sex	Sexual activity in which people protect themselves against diseases	<i>Anayefanya mapenzi kujilinda dhidi ya magonjwa ya kuambukizwa kama</i>	Term Explanation	<i>Ngono salama</i>	To have safe sex	Yes	Translator suggested <i>ngono salama</i> is commonly used and means safe sex in regard to HIV/AIDS
				<i>Kufanya mapenzi salama</i>	Safe sex		
				<i>Kujilinda mwenyewe</i>	To protect oneself		
Voluntary	When a person chooses freely whether to join research	<i>Mtu anapoamua kwa hiari yake kushiriki kwenye utafiti</i>	Term Elicitation	<i>Kujitolea</i>	Volunteer	Yes	
				<i>Hiari</i>	Voluntarily		A common phrase used in nonresearch settings
				<i>Uamuzi wa mtu</i>	Someone's decision		
				<i>Kujitoa</i>	To volunteer oneself		

Revising the term definitions

In both of the cases highlighted in Example 5, the techniques were successful and were used to verify that participants understood the terms and also allowed researchers to elicit terms that could also be used to describe the original concept. In some cases, however, participant discussion will be used to revise the definitions that were created as part of the preliminary lexicon.

If participants are unable to understand the term definition or explanation, it may be possible to utilize the focus group discussion to identify key words, concepts, or terms that can be revised. For example, for the term “Randomization,” research staff hoped to elicit nontechnical terms that could be used to explain this concept. A definition was developed in the preliminary lexicon: “a system to assign participants into different research groups. In this system, participants are put into groups completely by chance.”

To assess the participants’ understanding of the definition, we used the **Definition Explanation Technique** where we provided participants with the definition and asked them to explain the concept or provide synonymous terms.

When researchers conduct a clinical trial, they use a system to assign participants into different research groups. In this system, participants are put into groups completely by chance. The researcher does not decide which participants go into each group. The participants also do not choose their group. This system helps to ensure fairness. Can I get a volunteer to explain this system to the group?

A portion of the discussion from the focus groups is provided below. Participants’ discussion indicated that they understood this was a research concept and that it included participants being divided into two groups, but there was not a clear understanding of the “random” assignment of participants.

R: *To take chances.*

R: *She has consented.*

R: *She has taken a chance.*

R: *She has taken a chance, this one has voluntary consented.*

R: *She has been appointed.*

In this case, the definition was revised to include a nontechnical example that clarified the concept of random assignment, as follows:

Sometimes in research, people are put into different groups. One way to put people into different groups is to use a system that assigns each person to a group by chance. For example, each person could be assigned to either Group A or Group B. There is no person who chooses the group; a computer chooses the group each person will join. One person may go into Group B, a second person may go into Group B, and a third person may go into Group A.

Step 5: Develop FGD Guides to Assess the Revised Lexicon

Now you will conduct a second set of focus groups to finalize the research lexicon. The objective for this set of focus groups is (1) to verify the revised lexicon definitions, (2) to verify terms that were elicited in the first round of focus groups, and (3) to identify the preferred term(s) based on participant feedback.

Identifying the correct questioning technique

Once again, ensuring that the correct questioning technique is chosen will be a critical step in the process. The four questioning techniques used in Round 1 along with an additional technique, **Verbal Multiple Choice** can be used in the second round of focus groups.

Table 2 Questioning Techniques to Assess Revised Lexicon

Technique	Description	Data Collected
Term Explanation	Tests whether participants are familiar with technical and nontechnical terms that have been translated by providing the translated terms and asking participants to explain them to the group.	<ul style="list-style-type: none"> Insight on participant familiarity with technical and nontechnical terms. List of technical and nontechnical terms.
Definition Explanation	Tests a definition that has been developed by providing participants with a term and its definition and then asking them to explain the term (in their own words) to the group, or answer questions that assess their understanding of the concept.	<ul style="list-style-type: none"> Feedback on translated definition (i.e., words or concepts that are difficult to understand). List of technical and nontechnical terms.
Term Elicitation	Identifies whether participants are familiar with an existing term or concept by providing them with the translatable definition that you developed and asking them to provide matching terms. In some cases, you may also use scenarios to identify terms that are appropriate in a specific context (i.e., doctor's office, among peers).	<ul style="list-style-type: none"> List of technical and nontechnical terms. Feedback on explanation of term (i.e., words or concepts that are difficult to understand).
Term Creation	Gathers participants' ideas about how to translate relatively new English scientific words that have no equivalents in the target language by providing them with a detailed explanation of the idea, object, or process. Asks participants to reiterate their understanding of the concept and then provide terms or phrases in the target language that could be used to describe the concept.	<ul style="list-style-type: none"> New terms created by participants. Feedback on terms that were provided to participants.
Verbal Multiple Choice	Verifying the term(s) elicited in the first round of focus groups, as well as identifying participant term preferences.	<ul style="list-style-type: none"> Term preferences. Participant feedback that may include: understanding of terms, reason for term preference, usage notes for each term.

Verbal Multiple-Choice Technique

The **Verbal Multiple-Choice Technique**, which should only be used in the second round of focus groups, is effective for both verifying the term elicited in the first round of focus groups, as well as identifying participant term preferences.

To use this technique, we will ask participants to do one of the following:

1. Match the term definition with their preferred choice(s) of words that include: (a) words elicited in the first round of focus groups, and (b) terms in the preliminary lexicon.
2. Match the term definition with their preferred choice(s) of explanation that include: (a) explanations provided by participants in the first round of focus groups, and (b) explanations developed by the translator.
3. Match the elicited term with the explanation choice(s) that they prefer. The choices will include: (a) explanation of the term elicited in the first round of focus groups and (b) explanation of the term that was developed by the translator.

Term: Safe Sex

Technique: Verbal Multiple-Choice, matching definition to a **preferred term**.

Question: *It is important for people who have sexual intercourse to take actions to protect themselves against sexually transmitted infections such as HIV. These protective actions may include using condoms and having only one sexual partner. Which of the following expressions best describes these actions?*

- a. Mapenzi salama [safe sex].
- b. Ngono isiyo salama [unsafe sex].
- c. Kujilinda mwenyewe [protecting oneself].

For those of you who chose [most voted answer], why do you like that answer?

For those of you who chose [next most voted answer], why do you like that answer?

For those of you who chose [next most voted answer], why do you like that answer?

Term: Blood Draw

Technique: Verbal Multiple-Choice, matching definition to a **preferred explanation**.

Question: *Sometimes blood is removed from a vein in the arm in order to test the blood. Which of the following explanations makes the most sense to describe this process?*

- a. Anachukua damu. [She is drawing the blood.]
- b. Kuna sindano inatoa damu kwenye mkono. [There is an injection which is taking blood from the arm.]

Term: Clinical Trial

Technique: Verbal Multiple-Choice, matching an **elicited term** to an **explanation**.

Question: *There is a type of research study sometimes called a jaribio la kitabibu [clinical trial] that: (1) tests to see whether a new drug is safe, (2) tests a drug to see if it helps people who already have a medical problem, or (3) tests to see if a drug prevents people from getting the medical problem. [Repeat 1–3 as necessary.] Which of the following four choices is not the purpose of a clinical trial?*

- a. Tests to see if a new drug is safe.
- b. Tests a drug to see if it helps people who already have a medical problem.
- c. Tests a drug to see if people will pay for the drug.
- d. Tests a drug to see if it prevents people from getting a medical problem.

Technique selection should be guided by the results of the first round of focus groups.

In cases where a questioning technique was NOT successful a second round focus will allow you to test an existing or revised term definition using the Term Elicitation, Term Explanation or Definition Explanation Techniques (see What to Do With Unsuccessful Techniques on page 19). It is important to note that a second focus group will not allow you to finalize the lexicon for these terms, as the data will need to be verified during a separate focus group.

In cases where a questioning technique was successful a second round of focus groups will allow you to verify the terms that were elicited in the first round or assess whether participants prefer one term over another.

- To **verify terms** that were elicited in the first round you may ask participants to either provide technical or nontechnical terms using the **Term Explanation Technique**, or ask them for an explanation of the elicited term using the **Definition Explanation Technique**. Using either of these techniques in the second round of focus groups will allow you to gauge whether the terms are useful for communicating the original concept.
- To **assess participants' term preferences** you can use a new technique, **Verbal Multiple Choice**, which will allow you to identify whether participants favor one term over another while capturing information about the nuances of each term and the context in which it should be used.

Determining the length and content of the focus group guides

Once again you can determine how many focus group guides to create for round two based on the number of terms/questions and discreet content categories. While questions in this round may seem shorter because they are multiple-choice, the participant discussion about choice preferences is likely to be lengthy. Thus, we suggest a maximum of 10 to 12 questions per focus group.

Unlike the first round of focus groups, many of the questions in the second round will have predetermined answer choices. For questions that utilize the **Verbal Multiple-Choice Technique**, a data collection form, which can be filled out by moderators during the focus group discussion, offers a quick and useful way to get a preliminary snapshot of the data (see Example 6).

WHAT TO DO WITH UNSUCCESSFUL TECHNIQUES?

In some cases, focus group discussions may indicate that a technique was not successful. There may be cases where researchers are trying to elicit terms by providing a simplified explanation of a term developed by the translator or in previous clinical research that researchers expect participants will understand.

However, in some cases, discussion may indicate that participants are not familiar with the underlying term or concept. In these cases, it may be necessary to use additional focus groups to assess participant understanding of related terms or concepts prior to a revision of the Preliminary Lexicon definition.

For example, in the case of the term “Pap Smear,” researchers hoped to elicit technical and nontechnical terms using the **Term Elicitation Technique**. To this end, the following question was developed:

“A doctor may examine a woman’s vagina as part of a health exam. The doctor will insert this metal instrument called a speculum into the vagina. The speculum opens the vagina and helps the doctor see the inside of the vagina. The doctor can also see the opening of the organ where a baby grows. The doctor uses a stick with a cotton tip to collect a sample of tissue from inside the vagina. What do you call this kind of examination by a doctor?”

Researchers also utilized a set of pictures, which had been used in previous clinical trials, to facilitate participant understanding of the process that was being described. The discussion, however, indicated that participants were not familiar with this type of procedure. A portion of the discussion is provided below:

R: *Maybe she [doctor] widens the woman’s vagina so that she may see what is inside. Mmm, I mean if she wants to clean her.*

R: *We don’t know.*

I: *Isn’t there even one of you who have ever gone to the doctor to have an investigation such as this one?*

R: *Mmm, I have happened to go there to be operated on...I also lay on the bed just like how that woman is lying.*

I: *Okay, when you were being operated on. Apart from this one who was operated on, isn’t there anyone else who has had an investigation such as this?*

R: *No [murmuring].*

Given that participants were not familiar with the process, it was not feasible to identify technical or nontechnical terms that could be used to describe this process. Due to the scope of the question and probes, it was also not possible to ascertain whether there were aspects of the process that were familiar to participants.

In this case, the **Definition Explanation Technique** was used in a second round of focus groups. This technique allowed researchers to assess participants’ understanding of a revised simplified definition for Pap smear. This additional data can provide information on the specific aspects of the term that were hard to comprehend and yield information regarding the best words and colloquial terms that can be used as part of the definition for Pap smear.

Example 6 Verbal Multiple-Choice Data Collection Form (Swahili)

DATA COLLECTION FORM—VERIFICATION GUIDE FORM

MODERATOR INSTRUCTIONS

This form will record information captured in the focus group discussion. For questions with multiple-choice answers, as indicated below, please write the number of respondents who selected each answer in the right column.

QUESTION	ANSWER CHOICES	NUMBER OF RESPONDENTS
PART I: REPRODUCTIVE HEALTH & RESEARCH		
1. Risks	a. <i>Hasara</i> [disadvantage/loss]	
	b. <i>Hatarishi</i> [risks—translator's choice]	
	c. <i>Madhara</i> [adverse effects]	
2. Benefits	a. <i>Faida</i> [benefits—translator's choice]	
	b. <i>Manufaa</i> [benefits—translator's choice]	
	c. <i>Msaada</i> [help, aid]	
3. Male Sexual Partner	a. <i>Mume</i> [husband]	
	b. <i>Mpenzi</i> [lover]	
	c. <i>Mchumba</i> [fiancé]	
	d. <i>Mshikaji</i> [buddy/close friend]	
	e. <i>Hawara</i> [boyfriend or sex partner not married to]	
	f. <i>Rafiki</i> [friend]	
	g. <i>Wake</i> [husband]	
	h. <i>Mpenzi wa kiume</i> [male lover]	
	i. <i>Buzi</i> [lover you can gain materials from, not love]	

Step 6: Analyze Data from Verification FGDs

For questions that were used to (1) assess whether participants understand revised definitions and (2) elicit technical and nontechnical terms using revised definitions, the analysis process that was used in the first round should be followed (see Section 2, Step 2).

Following the completion of the focus groups, each discussion should be transcribed in its entirety and, if possible, translated into English to facilitate analysis. Review each transcript to identify the relevant portions of the discussions, per the objectives of the technique that was utilized.

Verifying terms and assessing term acceptability

For all verbal multiple-choice questions, the participant voting (i.e., on term preferences) will be captured on the data collection form. This initial tally will allow you to identify terms that were preferred by the focus group participants and verify whether the elicited terms from the first set of focus groups were acceptable for each concept.

Acceptability criteria will need to be determined by the research team, although it is suggested that “successful” terms be within ten percentage points of the overall vote winner. Even though all terms that have participant votes may be acceptable to some degree, establishing cutoff criteria ensures that your final lexicon has terms that have been verified by a larger portion of study participants from the target population for the trial.

On the data collection form, shown below, two distinct scenarios are highlighted for the terms “side effects” and “family planning.” For “side effects,” the term “problems” was not chosen by participants in any of the focus group discussions. Although this term may have been suggested by participants or the translator, the data collection indicated that this term was not favored by participants and should not be included in the research lexicon entry for “side effects.”

The verbal multiple-choice question for the term “family planning” elicited three terms in the first round of focus groups as answer choices. In this case, each term was selected by about the same number of participants. While the term “birth planning ways” is the overall “winner,” the other terms may also be acceptable and should not be excluded. Qualitative analysis should be conducted to provide insight into participants’ preferences, especially given the uneven distribution of votes across the focus groups.

Example 7 Data Collected from Verbal Multiple Choice Technique During FGDs

Question	Term Choices	Total N (%)	FGD 002 (n = 11)	FGD 004 (n = 10)	FGD 005 (n = 10)
Side Effects	a. Problems	00 (0)	00	00	00
	b. Side effects	31 (100)	11	10	10
Family Planning Method	c. Family planning method	09 (29)	00	03	06
	d. Birth planning ways	11 (35)	10	00	01
	e. Family planning	09 (29)	00	06	03

Analysis of verification phase transcripts

You will need to read through the transcript and identify relevant participant feedback that may provide insight into the reasons for participant preferences. This may include: explanation of term(s), comparison of term(s), reasons for preferential choice of a term, and notes on specific term usage.

In the example below, the participants are asked to indicate their preference for a term that signifies “side effects.” The question and a portion of the transcript are provided below; portions of the text that were isolated as part of the analysis are highlighted. Participants’ conversation provides insight into the unanimous preference for the term “side effects.” In this case, participant discussion highlights the alternative connotation of the term “problems,” which could be used to describe general life challenges or nonmedical catastrophes.

APPROACHING THE ANALYSIS: SOFTWARE CONSIDERATIONS

The analysis as we present it does not necessitate any special software for qualitative analysis; rather, the person analyzing the transcripts simply records the relevant information onto the spreadsheet. However, researchers may find it useful to use qualitative data analysis software to code information that would then be entered onto the spreadsheet. Segments of the transcript could then be easily reviewed if necessary. For example, you could code the transcript segment for a given term as “technique successful” or “technique unsuccessful.” You could then easily review the coded segments of terms for which the questions were “unsuccessful” when developing focus group questions for the second round.

Term: Side Effects

Question: *Sometimes unwanted things happen when you take a drug, such as a headache, a rash, or weight gain. Which of the following word choices best describes these unwanted things?*

- a. Matatizo [problems]
- b. Madhara [side effects]

Focus group 002

I: *For those of you who chose Matatizo [problems], why do you like that answer?*

[All participants chose the term *madhara*.]

I: *Why we have to use a word madhara [side effects] and not I get some problems?*

R: *I think we cannot use problems because mostly they know if you have a problem like someone pass away (laughing) so I think we can use that side effects.*

R: *Shelhe got a problem someone pass away or...shelhe has misfortune or has a sick person.*

R: *I was thinking we can use a word “side effect.”*

R: *I see if we use a word “problem” most people they see problems is likely misfortune or as you say your house was burn or even accident.*

R: *Mmm! I have the same idea.*

R: *Ee.*

R: *Eeeh!*

In the example below, the participants are asked to indicate their preference for a term that signifies “family planning.” The question and portions of the transcripts are provided below; portions of the text that were isolated as part of the analysis are highlighted. The conversation from participants across the three focus groups provides insight into the differences in term preferences across the groups.

Participants in FGD 002 prefer “birth planning ways,” which they feel better captures that wide range of family planning options as well as the utility of family planning when it comes to child spacing. On the other hand, participants in the other focus groups prefer the terms “family planning” and “family planning methods,” sometimes used interchangeably, which they cite as being commonly understood by community members.

Term: Family Planning

Question: *There are many methods to prevent a woman from becoming pregnant. These include birth control pills, injectables, condoms, and Norplant. Which of the following words would a nurse use to describe these methods?*

- a. Njia za uzazi wa mpango [family planning method]
- b. Anapanga uzazi [birth planning ways]
- c. Kupanga uzazi [family planning]

Focus group 002

I: *For those of you who chose njia za uzazi wa mpango [family planning method], why do you like that answer?*

[No respondents chose this term.]

R: *Family planning its mean that family planning are inside the stomach.*

I: *For those of you who chose njia za anapanga uzazi [birth planning ways], why do you like that answer?*

R: *This one explain on how you can plan when you can get a first born, second, and last one; that's how it differentiates.*

Focus group 004

I: *Mmm! If we say kupanga uzazi [family planning], how did you see that?*

R: *Family planning is more understood with many people than birth planning ways.*

R: *It is short—you can explain to any person.*

R: *I am adding that because this word is in the community; they understand family planning.*

Focus group 005

I: *And those who said let's use njia za uzazi wa mpango [family planning method]?*

R: *If we go together with our society, members of our society surround us. Many people got used to family planning. I see if we use...if we use the saying family planning [method], it is known to many people.*

R: *I am still in the same position. That word is very correct; even a village person if you tell her family planning [method] it is being correct. If you tell her, maybe let's go to the family planning methods, you are being correct. You explain to her maybe now it's injection or pills or it's condom.*

R: *Now if you tell her family planning methods so you are giving birth in plan, you are planning.*

What to do with an unsuccessful technique in the verification phase

The lexicon development process allows for as many rounds of focus groups and revisions of the preliminary lexicon as necessary (see Figure 2). Although most terms will not need more than two rounds of data collection, additional data collection is acceptable if you find that you need to refine a question or use a different technique.

Step 7: Finalize the Research Lexicon

Analysis of the verification focus groups should provide the data on term acceptability needed to finalize the research lexicon. Columns should be added for each term, including: the number (and percentage) of votes the term received across all focus groups, notes on reasons for participant preference, and whether the term should be included in the final lexicon per the predetermined eligibility criteria.

Figure 2 Research Lexicon Process

Example 8 Revised Lexicon Spreadsheet (Swahili)

Term (English)	English Definition	Translated Definition (Targeted Language)	Round 1 Focus Groups				Round 2 Focus Groups						
			Question Technique Used	Terms Elicited (Target Language)	Definition (English)	Success (Y/N)	Notes on Usage	Preference Votes [No. of votes (%)]	Notes on Preference	Final Lexicon (X)			
Safe Sex	Sexual activity in which people protect themselves against diseases	Anayefanya mapenzi kujilinda dhidi ya magonjwa ya kuambukizwa kama	Term Explanation	Ngono salama	To have safe sex	Yes	Translator suggested ngono salama is commonly used and means safe sex in regards to HIV/AIDS	10(33)	Commonly understood by community members, used in HIV prevention messaging	X			
				Kufanya mapenzi salama	Safe sex						08(27)	Common translation used by research staff	X
				Kujilinda mwenyewe	To protect oneself						15(50)	Used when talking casually to another person	X

Develop a final research lexicon entry

Using the revised lexicon spreadsheet, you are now ready to compile a final bilingual lexicon. The final research lexicon should contain:

- The **English Term**
- The **Term Definition**: This should be the definition that was used and understood by participants in the verification phase.
- **Source Language Verified Terms**: Acceptable terms, per participant preferences in the verification round, should be included in English and in the source language. Source language translations should be the same as were used in the focus groups.
- **English Translation of Verified Terms**: Technical translations of each verified term should also be included, in both English and the source language.
- **Notes on Usage** for each term (if applicable).

Example 9 Final Lexicon Entry (Swahili)

English Term	English Definition	Target Language Translation of Definition	Target Language Term	English Translation of Target Language Term	Notes on Usage
Safe Sex	Sexual activity in which people protect themselves against diseases	<i>Anayefanya mapenzi kujilinda dhidi ya magonjwa ya kuambukizwa kama</i>	<i>Ngono salama</i>	To have safe sex	Commonly understood expression, specifically pertaining to HIV prevention
			<i>Kufanya mapenzi salama</i>	Safe sex	Typical translation used by research staff
			<i>Kujilinda mwenyewe</i>	To protect oneself	

DECIDING WHICH TERM TO USE IN A CLINICAL TRIAL CONTEXT

Although numerous terms may have been elicited and may be acceptable to participants, an important part of the verification process is to review the terms elicited and determine which would be appropriate and easily understood by participants in a clinical trial context.

Case 1: The formal research term(s) is/are equally, or more, acceptable than the informal term(s).

A review of terms for a concept may yield a number of formal and colloquial terms that are equally acceptable to participants. Some of these terms may be used by participants in casual discussions among peers, but those same terms would be considered inappropriate for use in discussions with trial research team members (e.g., doctors, nurses, counselors, community outreach workers). In cases where multiple terms are acceptable to the study population, it is critical to assess the “notes on usage” from the development phase to decide which term may be more appropriate in a clinical trial context.

Case 2: The informal term(s) is/are more acceptable than the formal term.

In other cases, a review of acceptable terms for a concept may indicate that an informal term is widely acceptable to study participants, while a formal research term for that same concept is not. In cases where the formal/research term is not acceptable to participants, it is also critical to review the “notes on usage” to decide whether the informal term could be appropriate for use in a clinical trial to maximize participant comprehension. For example, for the term “safe sex,” the most widely preferred terms in Swahili were “*kuyjilinda mwenyewe*” and “*ngono salama*”; whereas both of these terms were not the standard research translation, they were commonly used by the community and would be considered acceptable in a clinical trial context.

Another option for cases in which an informal or colloquial term is more widely understood may be to use the formal term in participant communication but include the colloquial term in study staff scripts and documents, so that it may be used by staff if participants do not understand the formal translation.

It is critical that review of the data collected for each term and the final decision to use a term in clinical trial processes and participant communication should involve not only the site investigator but also the translator and other team members who may have experience with the target study population and may be able to provide additional information on the appropriate usage context for each term.

III. LEXICON DATABASE

In tandem with the development of this toolkit, the Population Council built a searchable database, *Translations in Context: A Lexicon of Field-tested HIV Clinical Trial Terminology*, for researchers conducting clinical trials of microbicides (and other HIV prevention technologies) as a resource for field-tested translations in multiple languages. Instead of creating new translations every time a new trial is conducted at a specific site, researchers have access to the existing lexicons that have been used in clinical trial communities. The database is user-friendly, available with any internet browser, and supports multiple languages and alphabets. Currently, the database contains clinical trial terminology in English, Xhosa, Zulu, Setswana, and Swahili (see Appendix 3 for an example of the Swahili lexicon). The lexicon database is available at: <http://lexicon.popcouncil.org> (see Appendix 4 for sample screens from the database).

APPENDIX 1. PRE-RESEARCH ACTIVITIES

We recommend that the following resources be available prior to beginning the lexicon process.

Staff

You will need a multidisciplinary research team that includes social scientists and clinical trial investigators, as well as translators and data collectors who are familiar with the local population to be recruited for the clinical trial.

Figure 3 Research Staff Organization Chart

- **Principal Investigator (PI).** This person should be trained in social science and familiar with the study population.
- **Social Scientist.** This person will serve as a co-investigator and should be trained in ethnolinguistic methods.
- **Clinical Trial Investigator.** This person will serve as a co-investigator and will provide feedback on the accuracy of the definitions developed by the social scientist.
- **Study Coordinator.** This person will coordinate all data collection and analysis activities. S/he will also need to manage day-to-day administrative activities, including research team meetings and budget management.
- **Local Translator.** This person should be qualified to translate from the source language (e.g., English) into the target language (e.g., Swahili). Ideally, this person's mother tongue should be the target language; the source language may be a language learned later in life. In addition, the translator should be a member of the larger community where the trial will be taking place, if not of the study population.
- **Research Assistants (RAs) (2).** RAs should be trained in how to effectively lead focus group discussions. For research pertaining to reproductive health, the moderators should be of the same gender as the study population, given that sensitive topics related to sexual behaviors may be discussed. Data collected will need to be quickly transcribed; this activity may be carried out by the RAs, hence these individuals also need to have experience with computers and word processing.

Budget

The budget for the development of a research lexicon will differ depending on the scope of activities and the local setting. However, it is critical to provide adequate budget support for all research activities to ensure success in developing a local research lexicon.

Staff salaries

Reimbursement for staff time is critical to ensure dedicated effort to research activities. Salaries should be commensurate with experience and local equivalencies.

- The **Local PI (50% FTE)** will oversee community engagement activities, provide training for the focus group moderators, and oversee all data collection and activities. S/he will also participate in the analysis of the data and provide administrative oversight.
- The **Study Coordinator (50% FTE)** will provide day-to-day management for all administrative and research activities.
- Two **RAs (100% FTE)** will participate in community engagement activities, recruit focus group participants, moderate the discussions, lead transcriptions/translation and assist with analysis activities.
- A **Social Scientist (20%)** will provide leadership in the development of the data collection instruments and analysis of the data collected throughout the lexicon development process.
- A **Clinical Trial Investigator (5%)** will provide significant input to the development of the preliminary plain-language definitions and will review the data collection instruments and final lexicon entries.

Recruitment activities

Recruitment of participants with similar characteristics to clinical research subjects often requires time and travel. Additionally, in many cases community engagement activities within the local community are advised in order to: (1) obtain necessary approvals, (2) garner community support for the study, and (3) aid in identification of recreational/entertainment facilities appropriate for participant recruitment. Community engagement activities may last several days.

Data collection and analysis

Focus groups with approximately 10 to 15 terms require approximately 4 to 5 hours for setup, moderation, and wrap-up; additional time should be budgeted for travel. Focus group discussions will need to be recorded, transcribed, and translated; thus, site staff should have access to at least two digital recorders and a computer. Transcription and translation are time-consuming activities and require significant review and revisions by team members.

Research staff should estimate **at least 3 to 5 hours of transcription and 4 to 6 hours for translation per hour of audio recording**. In addition, several hours should be budgeted for a second translator and the Study PI to review initial transcriptions and translations to ensure accuracy and quality.

Participant reimbursements

Participants should be reimbursed for time and travel costs associated with participating in research activities. The reimbursement amount should be commensurate with locally identified rates.

Data analysis

Sufficient time is needed to analyze data from the development phase of focus groups in order to inform the results of the verification phase of data collection. For **each term included in the first round of focus groups, we estimate at least three hours of analysis** which will include: identifying elicited terms, and the social scientist working with the translator and study PI to fill out the lexicon spreadsheet and develop questions for the verification round of focus groups.

We estimate approximately **three hours per term** for the analysis of the verification focus groups and development of the final lexicon. This will include analysis, compilation of the data collection forms, qualitative analysis of the transcripts, and working with the Site PI and translator to develop final lexicon entries.

APPENDIX 2. CASE STUDIES

Case Study 1: Male Sex Partner

HIV prevention clinical trials often include eligibility criteria, behavioral data collection, and treatment regimens that require communicating with a participant about sexual behavior. One of the challenges of discussing sexual behavior in a clinical trial setting can be the cultural nuances of terminology around partner types. In some cases, the technical translation for “male sex partner” may not be used widely or may be limited to a specific relationship setting (i.e., married partner, casual partner) or may limit the participant from disclosing additional sexual partners.

Step 1: Development of preliminary lexicon

In order to develop a “translatable definition” for this term, we began by developing a preliminary lexicon:

Term (Swahili)	Definition (English)	Source of Definition
Male Sex Partner	A man who inserts his penis into a woman's vagina	PI and Social Scientist

Step 2: Develop data collection instruments to assess the preliminary lexicon

Our objective for the term “male sex partner” was to learn local words, expressions, and classifications for different types of male sexual partners. We used the **Elicitation Technique** to develop a set of questions that would allow us to capture terms used by potential study participants. Questions using the **Elicitation Technique** present participants with definitions of terms and semantic categories and ask them to provide local words that express these definitions.

We used the following question: “*When a man inserts his penis into woman's vagina, who is he to that woman? What can you call him?*”

Step 3: Analyze FGDs

Participants provided a number of different words and expressions throughout the focus group discussion, which was transcribed and translated. A portion of the text is provided below with elicited terms highlighted, as they would be during the analysis process.

R: *According to the present situation to say the truth, in the past it was between wife and husband but nowadays even if you will meet in the street “I love you, you love me,” okay already.... For me I will call him a boyfriend, mmm.*

R: *Or a lover.*

R: *A two minutes' lover?*

R: *Very often the word that is used is a lover.*

R: Yes, or even if he will be with me for two months he will be my fiancé.

I: Two months. Do you mean if they will be together for all that period? Therefore, even if they didn't do anything, still he will be a fiancé meaning that...

R: Yes, a fiancé, because they are together.

R: There is a big male goat—someone you can gain materials and not love from being with him (others laughing).

R: Many words my sweet, there is my lotion they are calling many words... (laughing).

Step 4: Revise the preliminary research lexicon

The translator reviewed the words elicited for both terms and also provided additional notes on usage. All terms were then entered into the lexicon spreadsheet, as follows:

Revised Lexicon Spreadsheet: Male Sex Partner (Swahili)

Term (English)	English Definition	Round 1 Focus Groups				
		Question Technique Used	Terms Elicited (Target Language)	Definition (English)	Success (Y/N)	Notes on Usage
Male Sex Partner	A man who inserts his penis into a woman's vagina	Term Elicitation	Mume	Husband	Yes	
			Mchumba	Fiancé		Translator said that traditionally fiancé implies no sex before marriage.
			Mpenzi	Lover		
			Hawara	Boyfriend		Not gender specific, means unmarried sex partner. Commonly used by adult persons, and rarely used among youth.
			Buzi	Big male goat (lover)		Someone you can gain/get "things" from. Is considered a rude way to identify someone.

Step 5: Develop data collection instruments to assess the revised lexicon

A number of terms were identified using the **Term Elicitation Technique** during the first round of focus group discussions. During the second round, we were interested in learning the word(s) women might use and understand when in a medical context.

We retained the definition of male sex partner to be, “a man who inserts his penis inside a woman’s vagina” but added, “that is, a man with whom she has sexual intercourse.” The reason for our addition is that there is an established term for sexual intercourse in Swahili, and we thought it might help to clarify the question for participants.

We developed a focus group question using the **Verbal Multiple-Choice Technique** that used the following scenario:

“A counselor asks a woman, Limi, if she has a man in her life who inserts his penis inside her vagina, that is, a man with whom she has sexual intercourse. Do any of the following words refer to a man who inserts his penis inside Limi’s vagina? You can raise your hand for more than one answer.”

We did not indicate whether the woman and her male partner were married. We then offered eight selections from which women should choose their preferences. Two choices came from the translator, five came from the focus groups, and the last choice was the dictionary translation of the English word “friend.”

Term (Target Language)	Definition (English)	Source of Term
<i>Mshikaji</i>	Friend	Dictionary
<i>Rafiki</i>	Friend/casual lover	Translator
<i>Wake</i>	Husband	Translator
<i>Mume</i>	Husband	FGD Round 1
<i>Mchumba</i>	Fiancé	FGD Round 1
<i>Mpenzi Wa Kiume</i>	Male lover	FGD Round 1
<i>Hawara</i>	Boyfriend or girlfriend	FGD Round 1
<i>Buzi</i>	Big male goat (lover)	FGD Round 1

A data collection form was developed to capture the tally of participant preferences during the focus group. This provided a way of initially assessing participants’ preferences and the acceptability of the terms.

Data Collection Form: Male Sex Partner (Swahili)

QUESTION	ANSWER CHOICES	NUMBER OF RESPONDENTS
PART I: REPRODUCTIVE HEALTH AND RESEARCH		
Male Sexual Partner	a. <i>Mshikaji</i> (friend)	
	b. <i>Rafiki</i> (friend/casual lover)	
	c. <i>Wake</i> (husband)	
	d. <i>Mume</i> (husband)	
	e. <i>Mchumba</i> (fiancé)	
	f. <i>Mpenzi wa kiume</i> (male lover)	
	g. <i>Hawara</i> (boyfriend/girlfriend)	
	h. <i>Buzi</i> (big male goat/lover)	

Step 6: Analyze focus group discussions

Verifying terms and assessing term acceptability

More than half of the participants across both focus groups (16 out of 30) indicated that *hawara* was the most appropriate term for the scenario we described. Nine of the participants also liked *mpenzi wa kiume*, and two participants liked *mchumba* or *buzi*.

Term (English)	Term Choices (Swahili)	Total N(%)	FGD 001 N = 15	FGD 002 N = 15	Usage Notes
Male Sexual Partner	a. <i>Mshikaji</i> (friend)	01(3)	00	01	
	b. <i>Rafiki</i> (friend/casual lover)	00(0)	00	00	Not chosen by any participants.
	c. <i>Wake</i> (husband)	01(3)	01	00	
	d. <i>Mume</i> (husband)	00(0)	00	00	
	e. <i>Mchumba</i> (fiancé)	02(7)	01	01	
	f. <i>Mpenzi wa kiume</i> (male lover)	09(30)	05	04	
	g. <i>Hawara</i> (boyfriend/girlfriend)	16(53)	08	08	Participants liked this term because it did not imply marriage or stable partnership.
	h. <i>Buzi</i> (big male goat/lover)	02(7)	00	02	

Qualitative analysis of verification phase transcripts

Participants were asked to indicate their preference for a term that signified “male sexual partner.” The question and a portion of the transcripts are provided below; portions of the text that were isolated as part of the analysis are highlighted. Participants’ discussion provides insight into preferential selection of the terms that mean “male lover” and “boyfriend.” Participants indicated that the terms “husband” and “fiancé” would not indicate a sex partner outside of those specific relationships. Additionally, participants indicated that the term for “friend/casual lover” was not always indicative of a sexual relationship.

I: *For those who chose husband [wake], why we should use that word?*

R: *If we call husband we are wrong because he is not yet her husband, he has to be lover because you are just doing lovers things you can separate on the way.*

R: *If you are not married to him, you will call him a boyfriend [hawara].*

I: *For those who chose hawara (boyfriend/girlfriend), why should we use that word?*

R: *This is a boyfriend because it's a person, a man different from your husband. They spend just a short time, then they separate, everyone is going on their own way. So that's why we are calling a boyfriend, because she is not recognized to the man's relatives.*

I: *For those of you who chose mchumba (fiancé), why do you like that answer?*

R: *We used the word fiancé because he wanted to penetrate.*

R: *It's her fiancé if he is expecting to marry her.*

R: *No. It's her male lover.*

I: *For those who did not choose rafiki (friend), why should we not use that term?*

R: *We cannot call friend because he penetrated her.*

R: *Aaah, we must call that way lover [mpenzi], because it is familiar.*

R: *Lover [mpenzi] is a person who is recognized as a (sexual partner).*

Step 7: Finalize the research lexicon

Analysis of the verification focus groups provided data on term acceptability and preferences that were added to the lexicon spreadsheet for this term.

Revised Lexicon Spreadsheet: Male Sex Partner (Swahili)

Term (English)	English Definition	Round 1 Focus Groups					Round 2 Focus Groups		
		Question Technique Used	Terms Elicited (Target Language)	Definition (English)	Success (Y/N)	Notes on Usage	Preference Votes [no. of votes (%)]	Notes on Preference	Final Lexicon (X)
Male Sex Partner	A man who inserts his penis into a woman's vagina	Term Elicitation	<i>Mume/wake</i>	Husband	Yes		01(3)		
			<i>Mchumba</i>	Fiancé		Translator said that traditionally fiancé implies no sex before marriage.	02(7)		
			<i>Mpenzi</i>	Lover			09(30)		
			<i>Hawara</i>	Boyfriend		Not gender specific, means unmarried sex partner. Commonly used by adult persons, and rarely used among youth.	16(53)	Participants liked this term because it did not imply marriage or stable partnership.	X
			<i>Buzi</i>	Big male goat/lover		Someone you can gain or get "things" from. Considered a rude way to identify someone.	2(7)		

Develop final lexicon entries

Based on the selection guidelines that were established for term preference and the data collected on acceptability, we developed a final bilingual lexicon entry for this term.

English Term	English Definition	Target Language translation of Definition	Target Language Term	English Translation of Target Language Term	Notes on Usage
Male Sexual Partner	A man who inserts his penis inside a woman's vagina; that is, a man with whom she has sexual intercourse	<i>Mwanaume anayeingiza uume wake ndani ya uke wa mwanamke</i>	<i>Hawara</i>	Boyfriend, girlfriend	Not gender specific, but this would mean unmarried sex partner. Commonly used by adult persons, and rarely used among youths' relationships.

Case Study 2: Pre-Exposure Prophylaxis (PrEP)

Another challenge that has arisen in HIV prevention trials is the lack of scientific and technical vocabulary, specifically when novel technologies are developed. One recent example has been the use of different drugs prophylactically to prevent HIV infection. This technology has been labeled PrEP. The successful implementation of a prevention strategy that includes PrEP will rest on a clear understanding of the concept by the target population.

Step 1: Development of preliminary lexicon

In order to develop a “translatable definition” for this term, we began by developing a preliminary lexicon:

Term (Swahili)	Definition (English)	Source of Definition
PrEP	An HIV prevention method used before a person has sex	Previous clinical trials

Step 2: Develop data collection instruments to assess the preliminary lexicon

Our objective for the term “PrEP” was to learn participants’ ideas about how to translate this relatively new term that has no equivalent in the target language. We used the **Term Creation Technique**.

Questions using the **Term Creation Technique** describe the thing or concept to participants, provide the method’s English names, ask for their reactions to words the translator and study staff have developed, and ask participants to suggest names for the methods in their local language.

We used the following question:

“Sometimes researchers are trying to look for new techniques of preventing infections of HIV, okay? There are new techniques which the researchers are doing to try to see if they can prevent infections of HIV. These techniques are called Pre-Exposure Prophylaxis. This is a more professional name and means a way of protecting someone before they get HIV infection. What does it mean? A way to prevent oneself, to protect someone before she gets infections of HIV. What could we call this?”

Step 3: Analyze focus group discussions

Participants provided feedback on the terms that were provided (i.e., PrEP) and also suggested a number of novel names during the focus group discussion, which was transcribed and translated. An excerpt of the text is provided below with elicited terms highlighted, as they would be during the analysis process.

R: *Prepo.*

R: *It is protection...therefore should we call it “protection”?*

I: *Therefore what do you say? How many agree with the word protection, how many do we agree with the word protection?*

R: *Maybe let me give my opinion, because if you will go to tell someone the word protection simply s/he will not understand what is that protection for? ...I mean if you will not explain to her/him.*

R: *I mean if you didn't explain to her she can't understand what Prepo is.*

I: *Therefore, what word do you think we should use, or what should we do?*

R: *If we say the word Prep, it will be difficult for people to understand; now in order for that person...you can't tell someone, another doesn't understand, but if you will use the word protection from infection, she will know that protection is a Swahili word. This means that you will start explaining to her that it is protection for what.*

R: *Maybe a protection against HIV infections.*

R: *To prevent oneself against infections of HIV.*

Step 4: Revise the preliminary research lexicon

The translator reviewed the words elicited for this term and also provided additional notes on usage. All terms were then entered into the lexicon spreadsheet, as follows:

Revised Lexicon Spreadsheet: PrEP (Swahili)

Term (English)	English Definition	Round 1 Focus Groups				
		Question Technique Used	Terms Elicited (Target Language)	Definition (English)	Success (Y/N)	Notes on Usage
PrEP	An HIV prevention method used before a person has sex	Term Creation	<i>Kujikinga kabla ya maambukizi</i>	Protecting myself before infections	Yes	
			<i>Kinga ya maambukizi ya ukimwi</i>	Protection against infection of HIV		
			<i>Prepo</i>	Prep		
			<i>Purep</i>	N/A		

Step 5: Develop data collection instruments to assess the revised lexicon

A number of terms were identified using the **Term Creation Technique** during the first round of focus group discussions. During the second round, we were interested in learning the word(s) that women preferred to use for this concept.

We used the **Verbal Multiple-Choice Technique** to better understand women's preference for a term for PrEP. We developed the following question to assess women's terminology choices:

“There is a new method for HIV prevention that scientists are testing in clinical trials. In this new method, a person will take a pill to prevent becoming infected with HIV. In English, this method is called PrEP. People have suggested several names for this method in Swahili. Which one do you like best?”

Term (Target Language)	Definition (English)	Source of Term
<i>Yaani najikinga kabla ya maambukizi</i>	Protecting myself before infections	FGD Round 1
<i>Purep</i>	N/A	FGD Round 1
<i>Prepo</i>	N/A	FGD Round 1
<i>Kinga ya maambukizi ya ukimwi</i>	Protection against infections of HIV	FGD Round 1

A data collection form was developed to capture the tally of participant preferences during the focus group. This provided a way of initially assessing participants' preferences and the acceptability of the terms.

Data Collection Form: PrEP (Swahili)

QUESTION	ANSWER CHOICES	NUMBER OF RESPONDENTS
PART I: REPRODUCTIVE HEALTH AND RESEARCH		
PrEP	a. <i>Yaani najikinga kabla ya maambukizi</i> (protecting myself before infections)	
	b. <i>Purep</i>	
	c. <i>Prepo</i>	
	d. <i>Kinga ya maambukizi ya ukimwi</i> (protections against infections of HIV)	

Step 6: Analyze focus group discussions

Verifying terms and assessing term acceptability

More than half of the participants across both focus groups (15 out of 30) indicated that the term *kinga ya maambukizi ya ukimwi* was the most appropriate description of the term “pre-exposure prophylaxis.” Seven of the participants also like *yaani najikinga kabla ya maambukizi*, and four participants liked *purep*.

Term (English)	Term Choices	Total N(%)	FGD 001 N=15	FGD 002 N=15	Usage Notes
PrEP	a. <i>Yaani najikinga kabla ya maambukizi</i> (protecting myself before infections)	07(23)	04	03	
	b. <i>Purep</i>	04(14)	02	02	Sounded too clinical.
	c. <i>Prepo</i>	00(0)	00	00	
	d. <i>Kinga ya maambukizi ya ukimwi</i> (protections against infections of HIV)	15(50)	07	08	Most descriptive, easy to understand.

Qualitative analysis of verification phase transcripts

Participants were asked to indicate their preference for a term that could be used to mean PrEP. The question and an excerpt of the transcripts are provided below; portions of the text that were isolated as part of the analysis are highlighted. Participants’ discussion highlights the preference for phrases that define PrEP versus novel words or Swahili pronunciations. Additionally, participants preferred the phrase that specifically cited HIV prevention, noting that it was more precise and less likely to be confused with general infectious-disease prevention or a condom that protects against other infections.

I: *For those of you who chose kinga ya maambukizi ya ukimwi [protection against infections of HIV], why do you like that answer?*

R: *I think the correct answer is protection against infections of HIV, because you cannot say I protect myself before infection.*

R: *Even me I see we could use a word protection against infection of HIV because if you say prepo...because others they didn't go to school they would not understand the meaning of prepo.*

R: *You know a word prepo (laughing) first even to pronounce is difficult, then you might forget it but protection against infections of HIV it's understood but it needs more explanation.*

R: *Aaaah! You explain to her, I need the drugs because of...*

R: *Eeeh! But that purep, even here in the village they will ask what is that.*

R: *It's difficult. Better prevention against HIV is something widely open...it cannot bring confusion that mean condom.*

Step 7: Finalize the Research Lexicon

Analysis of the verification focus groups provided data on term acceptability and preferences that were added to the lexicon spreadsheet for the term (see opposite page).

Develop final lexicon entries

Based on the selection guidelines that were established for term preference and the data collected on acceptability, we developed a final bilingual lexicon entry for the term.

Given the guideline we set for classification of term success, only the term *kinga ya maambukizi ya ukimwi* was successful as a translation of the English term “Pre-Exposure Prophylaxis.” Our bilingual lexicon entry appeared as follows:

English Term	English Definition	Target Language Translation of Definition	Target Language Term	English Translation of Target Language Term	Notes on Usage
PrEP	An HIV prevention method used before a person has sex	<i>Njia ya kujikinga na WU kabla mtu hajafanya ngono</i>	<i>Kinga ya maambukizi ya ukimwi</i>	Protecting myself before infections	Casual phrasing that would be easy to understand, is not specific to the clinical setting.

Another challenge that has arisen in HIV prevention trials is the lack of scientific and technical vocabulary, specifically when novel technologies are developed. One recent example has been the use of different drugs prophylactically to prevent HIV infection. This technology has been labeled Pre-Exposure Prophylaxis (PrEP). The successful implementation of a prevention strategy that includes PrEP will rest on a clear understanding of the concept by the target population.

Revised Lexicon Spreadsheet

Term (English)	English Definition	Round 1 Focus Groups					Round 2 Focus Groups		
		Question Technique Used	Terms Elicited (Target Language)	Definition (English)	Success (Y/N)	Notes on Usage	Preference Votes [no. of votes (%)]	Notes on Preference	Final Lexicon (X)
PrEP	An HIV- prevention method used before a person has sex	Term Creation	<i>Kujikinga kabla ya maambukizi</i>	Protecting myself before infections	Yes		07(23)	Not specific. Could mean protection against other infection or other methods (condom).	
			<i>Kinga ya maambukizi ya ukimwi</i>	Protection against infection of HIV			15(50)	Most descriptive, easy to understand.	X
			<i>Prepo</i>	Prep			00(00)	Hard to understand; provides no information about product.	
			<i>Purep</i>	N/A			04(14)	Sounded too clinical; does not describe product.	

APPENDIX 3. LEXICON EXAMPLE (SWAHILI)

Swahili Lexicon

Source Term	Source Term Definition	FHI 360 IC Study Definition	Translated Definition	Translated Term	Related English Term (optional)	Back Translation Term	Translator Notes on Usage
To abstain		To take the decision not to have sex with any man for a period of time, such as 6 months	<i>Kuchukua uamuzi wa kutokufanya mapenzi kwa mda fulani kama miezi sita</i>	<i>Kujizuia</i>		To abstain	To take a break from having sexual intercourse, to stop having sex temporarily (Implies that sex will resume).
				<i>Kuacha</i>		To abstain	To stop [having sexual intercourse] permanently.
AIDS	Condition caused by HIV that prevents the body from fighting disease			<i>Ukimwi</i>		AIDS	People use <i>ukimwi</i> for both HIV and AIDS, which are seen as the same thing.
Anal sex	Sex with penis in woman's anus	When a man inserts his penis inside a person's anus	<i>Wakati mwanaume anapoingiza uume wake ndani ya mkundu wa mtu mwingine</i>	<i>Kufanya mapenzi kinyume cha maumbile</i>		To make love contrary to nature	The standard way to say anal sex as part of research. Means sexual intercourse + anally.

Swahili Lexicon

Source Term	Source Term Definition	FHI 360 IC Study Definition	Translated Definition	Translated Term	Related English Term (optional)	Back Translation Term	Translator Notes on Usage
Benefit	Advantage	Sometimes people will get positive things when they participate in research. For example, they may get free medical care, food, or medicine.	Wakati mwingine watu hupata faida kwa kushiriki katika taffiti kwa mfano, wanaweza kupata matibabu bure, chakula na dawa.	Manufaa		Benefits	Strictly refers to benefits.
				Faida		Benefits	General word for benefits in many contexts.
				Msaada		Help, aid	

Swahili Lexicon

Source Term	Source Term Definition	FHI 360 IC Study Definition	Translated Definition	Translated Term	Related English Term (optional)	Back Translation Term	Translator Notes on Usage
Bisexual man		A man who penetrates other men but is not penetrated and can still have sex with a woman	<i>Mtu ambaye anawaingiza wanaume wengine uume lakini yeye haingizwi na anaweza kuwa na uhusiano wa kimapenzi na manamke</i>	<i>Mfiraji</i>		Sodomite	There is no word for male bisexual. In local culture and language there is an important distinction between a man who penetrates another man and a man who is penetrated by another man. It is not considered possible for a man who is penetrated by another man to also penetrate a woman. Therefore, our definition had to focus on a man who penetrates both men and women. Focus group participants specified that such a man would prefer anal sex with women as well. The term “ <i>mfiraji</i> ” appears to focus on the anal sex aspect rather than on with whom a man has anal sex. It may be necessary to refer to a bisexual man as “a <i>mfiraji</i> who penetrates both men and women.”
				<i>Basha</i>		Sodomite, male homosexual	There is no word for male bisexual. In local culture and language, an important distinction is made between a man who penetrates another man and a man who is penetrated by another man. It is not considered possible for a man who is penetrated by another man to also penetrate a woman. Therefore, our definition had to focus on a man who penetrates both men and women. Focus group participants specified that such a man would prefer anal sex with women as well. The term “ <i>basha</i> ” appears to focus on the aspect of a man having sex with a man. It may be necessary to refer to a bisexual man as “a <i>basha</i> who also penetrates a woman.”

Swahili Lexicon

Source Term	Source Term Definition	FHI 360 IC Study Definition	Translated Definition	Translated Term	Related English Term (optional)	Back Translation Term	Translator Notes on Usage
Blood test	Investigations done to the blood of participants	The process of checking the blood for the presence of a virus or bacteria that causes infection	Utaratibu wa kuchukua damu kwa ajili ya kuchunguza uwepo wa virusi au bakteria wanaosababisha maambukizi	Kipimo cha damu		Test of the blood	
				Upimaji wa damu		Assessment/evaluation of the blood	
Casual sexual partner		A lover a person has sex with occasionally	Mtu ambaye anakutana naye kimapenzi mara chache	Mpenzi wa kupita		Casual partner	Someone a person has sex with only once or a limited number of times, in contrast to a permanent partner.
Clinical trial	A scientific process that tests medicines to make sure products are not harmful and work properly (per the booklet)	A kind of research study that (1) tests to see whether a new drug is safe, (2) tests a drug to see if it helps people who already have a medical problem, or (3) tests to see if the drug prevents people from getting the medical problem	Ni aina ya utafiti ambao (1) hupima ili kuona kama dawa mpya ni salama, (2) hupima dawa ili kuona kama inasaidia watu ambao wana matatizo ya kitiba, (3) kuchunguza dawa ili kuona kama inaweza kuwazuia watu wasipate matatizo ya kiafya	Majaribio ya tiba		Trial/experiment of medicine for treatment. Treatment trial.	This refers specifically to research to see if something will cure. <i>Majaribio ya dawa</i> translates to “medicine trial.”

Swahili Lexicon

Source Term	Source Term Definition	FHI 360 IC Study Definition	Translated Definition	Translated Term	Related English Term (optional)	Back Translation Term	Translator Notes on Usage
Confidential		When people participate in research, the researchers do not tell anyone that the person is participating in the research. They also do not tell people any facts or details about the person.	Wakati mtu anaposhiriki katika utafiti mtafiti hamwambii mtu yeyote kuwa mtu huyo anashiriki katika utafiti huo. Vilevile hamwambii mtu yeyote yule taarifa zozote zile kuhusu mtu huyo.	Usiri		Confidential, secret	
To draw blood				Kutoa damu		To draw the blood	
Eligible		When a person has all of the required characteristics on a list to participate in research	Mtu anapokuwa na sifa zote zinazotakiwa katika orodha ya watakaoshiriki kwenye utafiti	Sifa za kushiriki		Eligible, Qualifications to participate	
Enroll (the verb)	No definition available	Process of registering to be a study participant	Mchakato wa kujisajili kuwa mshiriki katika utafiti	Kukubali kushiriki		To agree to participate	

Swahili Lexicon

Source Term	Source Term Definition	FHI 360 IC Study Definition	Translated Definition	Translated Term	Related English Term (optional)	Back Translation Term	Translator Notes on Usage
Family planning method	Means and ways used to prevent pregnancy	Ways to prevent pregnancy	Njia za kuepuka ujauzito	Njia za uzazi wa mpango		Method of birth control planning	
				Njia za kupanga uzazi		Method of organizing birth/childbearing	
				Kupanga uzazi		Birth organizing	
Female condom	A woman-controlled condom	The female partner inserts a cover that looks like a small bag into her vagina to prevent semen from entering the woman's vagina	Mpenzi wa kike anajichomekea ukeni kifuniko kinachofanana na mfuko mdogo ili kuzuia mbegu za kiume kuingia ukeni	Kondomu ya kike		Condom for women	
				Salama ya kike		Salama for women	Salama is a brand name of male condoms.
Female sexual partner		Women who has sexual relationship with a man	Mwanake ambaye mwanaume ana uhusiano nae wa kimapenzi	Mpenzi wa kike		Female lover	Implies that she agreed to have sex.
				Hawara		Lover, concubine, mistress	Not gender specific. Lover not married to. Implies casual partner.

Swahili Lexicon

Source Term	Source Term Definition	FHI 360 IC Study Definition	Translated Definition	Translated Term	Related English Term (optional)	Back Translation Term	Translator Notes on Usage
Genitalia	Reproductive organs			<i>Viungo vya uzazi</i>		Reproductive organs	
HIV	The virus that can cause AIDS if left untreated			<i>WVU (virusi vya ukimwi)</i>		HIV (virus of AIDS)	People use <i>ukimwi</i> for both HIV and AIDS, which are seen as the same thing.
HIV test		The process of taking a person's blood and checking it for HIV	<i>Namna ya kuchukua damu ya mtu kwa ajili kuchunguza WVU</i>	<i>Kipimo cha ukimwi</i>		Test of HIV	
Husband	A man who is legally/customary married			<i>Mume</i>		Husband	
Informed consent	Making a decision whether or not to join a study after receiving detailed information about it	To be given information about the research study and then agree to be in the study	<i>Kupewa taarifa kuhusu utafiti na kukubali kushiriki katika utafiti</i>	<i>Ridhaa</i>		Consent	To agree without being forced. <i>Ridhaa</i> means consent or to consent but does not necessarily mean informed. We recommend combining this word with the definition.
Injectables				<i>Sindano</i>		Injectons	
Male condom	No definition available			<i>Kondomu ya kiume</i>		Condom for men	
				<i>Salama</i>		Safe	Local brand of condoms.

Swahili Lexicon

Source Term	Source Term Definition	FHI 360 IC Study Definition	Translated Definition	Translated Term	Related English Term (optional)	Back Translation Term	Translator Notes on Usage
Male sexual partner		Man who inserts his penis inside the woman's vagina	Mwanaume anayeingiza uume wake ndani ya uke wa mwanamke	Mpenzi wa kiume		Male lover, darling	Implies that there is feeling.
				Mpenzi		Lover	Implies feeling. Not gender specific—word used for man or woman.
				Hawara		Lover, concubine, mistress	Not gender specific. Lover not married to. Implies casual partner.
Menstrual period		Every month a woman of childbearing age bleeds from her vagina	Kila mwezi mwanamke yeyote ambaye ananyonyesha hutoa damu kutoka katika uke	Hedhi		Menstrual period (formal, medical term)	
Microbiocide	Vaginal gel or cream that would prevent you from getting HIV/STDs	A special gel a woman puts in her vagina before having sex. The gel is a substance like a lubricant. The gel would reduce the chance that the virus would infect a woman with HIV.	Ute maalum ambao mwanamke huweka kwenye uke. Ute ni kama mafuta yanayolainisha kitu. Ute huo unaweza kupunguza uwezekano wa mwanamke kuambukizwa virusi.	Mafuta ya wanawake ya kukinga maambukizi ya ukimwi		Women's oil for preventing infections of HIV	Not an official or existing term. This name for microbicide was generated and voted on by focus group participants.

Swahili Lexicon

Source Term	Source Term Definition	FHI 360 IC Study Definition	Translated Definition	Translated Term	Related English Term (optional)	Back Translation Term	Translator Notes on Usage
Monogamous		They have sex with each other only and not with other people	<i>Kufanya mapenzi na mpenzi huyohuyo tu / mmoja peke yake na sio na mtu mwingine</i>	<i>Mpenzi mmoja</i>		One lover	This term refers to sexual partners who are not married.
Oral sex on a man		The act of the woman of inserting the man's penis in her mouth	<i>Kitendo cha mwanamke kuingiza uume wa mwanaume kwenye kinywa chake</i>	<i>Kunyonya uume</i>		To suck penis	Difficult to translate because people may understand oral sex to mean anything beside "penetrative sex"; touching, kissing, foreplay can be thought of as oral sex.
Participant	Person joining the study			<i>Mshiriki</i>		Participant	
Pelvic exam	Examination of woman's reproductive organs	Examination of the female pelvic area	<i>Uchunguzi wa viungo vya uzazi</i>	<i>Uchunguzi wa viungo vya uzazi</i>		Not used very frequently. Focus group participants preferred this to other suggested ways of defining "pelvic exam" since there is no existing common word for this.	

Swahili Lexicon

Source Term	Source Term Definition	FHI 360 IC Study Definition	Translated Definition	Translated Term	Related English Term (optional)	Back Translation Term	Translator Notes on Usage
Pregnancy test	Test to find out if a woman is pregnant			<i>Kupima ujauzito</i>	To test for pregnancy	<i>Mimba and uja uzito</i> can be used interchangeably	
				<i>Kupima mimba</i>	To test for pregnancy		
Pregnant		The condition when a woman has a baby growing inside of her body	<i>Hali ya mwanamke kuwa na mtoto anayeendelea kukua tumboni</i>	<i>Kuwa na mimba</i>		To be pregnant	<i>Kuwa na mimba</i> is used for human beings and other mammals.
				<i>Kuwa mjamzito</i>		To be pregnant	<i>Mjamzito</i> is specifically used for human beings.
Research/clinical trial	Study	[Research] The process of carefully studying information to discover one or more facts	<i>Ni njia ya kuchunguza kitu kwa umakini ili kugundua ukweli wa jambo moja au zaidi</i>	<i>Utafiti</i>		Research	

Swahili Lexicon

Source Term	Source Term Definition	FHI 360 IC Study Definition	Translated Definition	Translated Term	Related English Term (optional)	Back Translation Term	Translator Notes on Usage
Risks	Untoward effects of participating in the research	The chance that people who participate in research could experience physical, social, or psychological problems because of their participation	Ambapo watu wanaoshiriki katika utafiti huweza kupata matatizo ya kimwili, kijamii, kisaikolojia kwa sababu ya ushiriki wao.	Madhara		Adverse effects, harm, damage	
Round/ act of sex	No definition available	To have sex X number of times	Kufanya mapenzi mara kadhaa	Mshindo		Bang, boom	
		The counselor now wants to know how many times Limi had sexual intercourse with her partner the last time she saw him, including how many times her partner ejaculated	Mshauri anataka kufahamu ni mshindo mingapi aliyopata Limi mara ya mwisho alipokutana na mpenzi wake pamoja na mara ngapi mpenzi wake alikojoa				

Swahili Lexicon

Source Term	Source Term Definition	FHI 360 IC Study Definition	Translated Definition	Translated Term	Related English Term (optional)	Back Translation Term	Translator Notes on Usage
Safer sex	No definition available	It is important for people who have sexual intercourse to take actions to protect themselves against sexually transmitted infections such as HIV. These protective actions may include using condoms and having only one sexual partner.	Ni vyema kwa mtu anayefanya mapenzi kujilinda dhidi ya magonjwa ya kuambukizwa kama WU. Kujilinda huku huhusisha matumizi ya mipira ya kiume [kondomu] na kuwa na mpenzi mmoja mwaminifu.	Kujilinda mwenyewe		To protect oneself	Term preferred by study participants
				Mapenzi salama		Safe sex	Typical technical translation
				Ngono salama		Safe sex	Commonly used and is specific to HIV/AIDS
Screening	A process that is undertaken to see if a potential participant qualifies to be in the study or not	Finding out if a person has all the required qualifications on the list to participate in research	Namna ya kubainisha kama mtu ana sifa zote zinazohitajika ili kuweza kushiriki katika utafiti	Mchujo		To screen	
				Kupima		To conduct tests	

Swahili Lexicon

Source Term	Source Term Definition	FHI 360 IC Study Definition	Translated Definition	Translated Term	Related English Term (optional)	Back Translation Term	Translator Notes on Usage
Sexual inter-course		To insert a man's penis into a woman's vagina	Kuingiza uume wa mwanume ndani ya uke wa mwanamke, Kuingiza mboo ya mwanaume ndani ya kuma ya mwanamke	<i>Kufanya mapenzi</i>		To have sexual intercourse	Formal term used in research.
Sexual partner	A partner you have sexual relations with			<i>Mwenzi/mpenzi</i>		Partner	
Side effects	Untowards reaction of a product	Sometimes there are unwanted things that happen when you take a drug, such as a headache, a rash, or weight gain.	Kuna wakati mwingine ambapo vitu visivyotakiwa hujitokeza pale unapotumia dawa vitu kama maumivu ya kichwa, muasho au kuongezeka kwa uzito.	<i>Madhara</i>		Side effects	
Speculum	Instrument to gently open the vagina for examination	An instrument to open the cervix	Kifaa kinachotumika kufungua njia ya uke	<i>Kipanua njia ya uzazi</i>		Cervix opener/expander	
				<i>Kifungua uke</i>		Speculum	Correct technical term, but not commonly used in study population.
Stable sexual partner		Permanent, committed sexual partner	Wa kudumu au mpenzi wa kweli	<i>Mpenzi wa kudumu</i>		Permanent, lasting partner	

Swahili Lexicon

Source Term	Source Term Definition	FHI 360 IC Study Definition	Translated Definition	Translated Term	Related English Term (optional)	Back Translation Term	Translator Notes on Usage
STD	Sexually transmitted disease	Sexually transmitted infection	Magoniwa yanayoambukizwa kwa njia ya kujamiiana	Magoniwa yanayoambukizwa kwa njia ya kujamiiana		Sexually transmitted infections	
Take blood	No definition available			Kutoa damu		To draw blood	
Transactional sex		To allow a man to insert his penis inside her vagina or her anus, or she puts her mouth on his penis, so that she may get money, things, or services like school fees for her child, food, things to sell, or support	Kuruhusu mwaume kuingia uume wake kwenye uke au kwenye njia ya haja kubwa au mwanamke kunyonya uume wa mwaume ili apatiwe fedha, vitu/ bidhaa, au huduma kama kupata karo ya shule ya mtoto, kupata chakula, vitu vya kuuza au msaada	Mchunaji		Gold digger	Getting a gift from a sexual relationship.
Urine test		The process of medical staff examining your urine	Utaratibu wa wafanyakazi wa afya katika kuchunguza mkojo wako	Kupima mkojo		To test the urine	The term <i>kupima</i> can be broadly used, including to measure, to examine.

Swahili Lexicon

Source Term	Source Term Definition	FHI 360 IC Study Definition	Translated Definition	Translated Term	Related English Term (optional)	Back Translation Term	Translator Notes on Usage
Vaginal fluid		Wetness or fluid which comes out from the vagina apart from bleeding	Unyevu-nyevu au majimaji yanayotoka ukeni mbali na hedhi	Maji maji ya ukeni		Fluid that comes out of the vagina	
Vaginal sex	Sex by inserting the penis into the vagina	To insert a man's penis into a woman's vagina	Kuingiza uume wa mwanume ndani ya uke wa mwanamke, Kuingiza mboo ya mwanaume ndani ya kuma ya mwanamke	Kufanya mapenzi		To have sexual intercourse	The term sexual intercourse means vaginal sex.
Voluntary participation	Individual decision to take part without being coerced	When a person chooses freely whether to join research	Mtu anapoamua kwa hiari yake kushiriki kwenye utafiti	Hiari		Voluntary	

APPENDIX 4. LEXICON DATABASE SAMPLE SCREENS

Database Sample Search Page

TRANSLATIONS
IN CONTEXT

Lexicon of field-tested
HIV clinical trial
terminology.

Enter search term

Find terms

Narrow Results by language or leave unchecked for all languages:

☐ English

☒ Setswana

☐ Swahili

☐ Xhosa

☐ Zulu

☐ Exact Match

[SHOW ALL TERMS IN THE DATABASE -->](#)

© 2013 The Population Council, Inc.

ABOUT

CONTACT

ADMIN

Database Sample: All Language Terms Search Screen

TRANSLATIONS
IN CONTEXT

Enter search term

Go

ABOUT

CONTACT

ADMIN

View all the terms in the lexicon database

English

Setswana

Swahili

Thai

Xhosa

Zulu

© 2013 The Population Council, Inc.

Database Sample Search Page by Alphabet, Swahili

View all the terms in the lexicon database

Swahili

A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P | Q | R | S | T | U | V | W | X | Y | Z

K

kifungua uke

Kipanua njia ya uzazi

Kipimo cha damu

Kipimo cha ukimwi

Kondomu ya kike

Kondomu ya kiume

Kufanya mapenzi

Kufanya mapenzi kinyume cha maumbile

Kujilinda mwenyewe

Kujizuia

Kukubali kushiriki

Click on a term on the left panel to see definitions, translations, and usage.

English

Setswana

Thai

Xhosa

Zulu

Database Sample: Swahili Translated Term and Definition

TRANSLATIONS
IN CONTEXT

Enter search term

Go

ABOUT

CONTACT

ADMIN

You searched for: screening

Possible results: [Screening](#)
Definition: A process that is undertaken to see if a potential participant qualifies to be in the study or not

Translated Language	Swahili
Translation	Kupima
Definition (English)	A process that is undertaken to see if a potential participant qualifies to be in the study or not
Definition (in Swahili)	Nama ya kubainisha kama mtu ana sifa zote zinazohitajika ili kuweza kushiriki katika utafiti
Back translation	To conduct tests
Back translation definition	

Translated Language	Swahili
Translation	Mchujo
Definition (English)	A process that is undertaken to see if a potential participant qualifies to be in the study or not
Definition (in Swahili)	Nama ya kubainisha kama mtu ana sifa zote zinazohitajika ili kuweza kushiriki katika utafiti
Back translation	To screen
Back translation definition	

© 2013 The Population Council, Inc.

62 ■ A Toolkit for Developing Bilingual Lexicons for International HIV Prevention Clinical Trials

Population Council
One Dag Hammarskjold Plaza
9th Floor
New York, New York 10017 USA

www.popcouncil.org